



Republic of the Philippines  
Department of Health  
**Regional Health Office – 10**  
**NORTHERN MINDANAO MEDICAL CENTER**  
Capitol Compound, Cagayan de Oro City



Telephone No. (088) 856-4147; (08822) 72-6362 Fax No. (08822) 72-1794  
Email address: nmmc\_cdo@yahoo.com \*Website [www.nmmc.doh.gov.ph](http://www.nmmc.doh.gov.ph)  
*"NMMC Para Sa Tanan"*

# **PHILIPPINE BIDDING DOCUMENTS**

**Procurement of GOODS**

**(Various Hospital Equipment)**

**September 1, 2020**

**Government of the Republic of the Philippines**

**Fifth Edition**  
**August 2016**

## **TABLE OF CONTENTS**

|   |           |
|---|-----------|
| <b>SECTION I. INVITATION TO BID .....</b>               | <b>3</b>  |
| <b>SECTION II. INSTRUCTIONS TO BIDDERS .....</b>        | <b>6</b>  |
| <b>SECTION III. BID DATA SHEET .....</b>                | <b>37</b> |
| <b>SECTION IV. GENERAL CONDITIONS OF CONTRACT .....</b> | <b>42</b> |
| <b>SECTION V. SPECIAL CONDITIONS OF CONTRACT .....</b>  | <b>59</b> |
| <b>SECTION VI. SCHEDULE OF REQUIREMENTS .....</b>       | <b>65</b> |
| <b>SECTION VII. TECHNICAL SPECIFICATIONS .....</b>      | <b>66</b> |
| <b>SECTION VIII. BIDDING FORMS .....</b>                | <b>75</b> |

## **Section I. Invitation to Bid**



Republic of the Philippines  
Department of Health  
Regional Health Office – 10  
NORTHERN MINDANAO MEDICAL CENTER  
Capitol Compound, Cagayan de Oro City  
Telephone No. (088) 856-4147; (08822) 72-6362 Fax No. (08822) 72-1794  
Email address: nmmc\_cdo@yahoo.com \*Website www.nmmc.doh.gov.ph  
“NMMC Para Sa Tanan”



INVITATION TO BID  
PROCUREMENT OF VARIOUS HOSPITAL EQUIPMENT

ITB No. 2020-04-004

1. The NORTHERN MINDANAO MEDICAL CENTER (NMMC), through the General Appropriations Act 2020 intends to apply the sum of One Hundred Thirty Million Pesos (Php 130,000,000.00) being the Total Approved Budget for the Contract (ABC) and to payments under the contract for the procurement of various Hospital Equipment. Bids received in excess of the ABC shall be automatically rejected at bid openings.
2. The Northern Mindanao Medical Center now invites bids for the procurement of various Hospital Equipment. Delivery of the goods is required within sixty (60) calendar days. Bidders should have completed, within two (2) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.

| Item No.                               | NAME OF PROJECT  | Approved Budget for the Contract (ABC) |       |               |                | Cost of Bid Documents |
|--|--|--|-------|---------------|----------------|-----------------------|
|  |  | Qty                                    | Unit  | Unit Cost     | Total Cost     |                       |
| RADIOLOGY EQUIPMENT                    |  |  |       |               |                |                       |
| 1                                      | Computed Tomography (CT) Scan Machine<br>128 Slice   | 1                                      | unit  | 80,000,000.00 | 80,000,000.00  | 50,000.00             |
| CENTRAL SUPPLY & STERILIZATION UNIT    |  |  |       |               |                |                       |
| 2                                      | Washer Disinfector Machine   | 1                                      | unit  | 6,000,000.00  | 6,000,000.00   | 10,000.00             |
| 3                                      | Washing Station  | 1                                      | unit  | 2,000,000.00  | 2,000,000.00   |                       |
|  |  | Sub-total                              |       |               | 8,000,000.00   |                       |
| MORTUARY EQUIPMENT                     |  |  |       |               |                |                       |
| 4                                      | Mortuary Equipment <ul style="list-style-type: none"><li>Autopsy Table</li><li>Dissecting Instruments Set</li><li>Oscillating Saw</li><li>Mortuary Freezer</li><li>Mortuary Refrigerator</li></ul> | 1                                      | set   | 6,600,000.00  | 6,600,000.00   | 10,000.00             |
| SURGERY EQUIPMENT                      |  |  |       |               |                |                       |
| 5                                      | Neuroendoscopy   | 1                                      | set   | 15,900,000.00 | 15,900,000.00  | 25,000.00             |
| 6                                      | Gastroscope  | 1                                      | unit  | 1,250,000.00  | 1,250,000.00   |                       |
| 7                                      | Colonoscope  | 1                                      | unit  | 1,250,000.00  | 1,250,000.00   |                       |
| 8                                      | Neurosurgical Instruments (Stainless Steel)  | 2                                      | sets  | 1,000,000.00  | 2,000,000.00   |                       |
|  |  | Sub-total                              |       |               | 20,400,000.00  |                       |
| OR EQUIPMENT                           |  |  |       |               |                |                       |
| 9                                      | Operating Room Table   | 4                                      | units | 750,000.00    | 3,000,000.00   | 5,000.00              |
| OB-GYNE EQUIPMENT                      |  |  |       |               |                |                       |
| 10                                     | Hysteroscopy Tower   | 1                                      | set   | 9,000,000.00  | 9,000,000.00   | 25,000.00             |
| 11                                     | Ultrasound Machine   | 1                                      | unit  | 3,000,000.00  | 3,000,000.00   |                       |
|  |  | Sub-total                              |       |               | 12,000,000.00  |                       |
| TOTAL APPROVED BUDGET FOR THE CONTRACT |  |  |       | PhP           | 130,000,000.00 |                       |

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “pass/fail” criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the “Government Procurement Reform Act”.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.

4. Interested bidders may obtain further information from Northern Mindanao Medical Center and inspect the Bidding Documents at the address given below during 8:00 AM to 5:00 PM.
5. A complete set of Bidding Documents may be acquired by interested Bidders on August 12, 2020 to September 1, 2020 from the address below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount stated above.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

6. The NORTHERN MINDANAO MEDICAL CENTER will hold a Pre-Bid Conference on August 20, 2020 - 2:00 PM at NMMC Function Hall, 2<sup>ND</sup> Floor Engineering Building, Capitol compound, Cagayan de Oro City which shall be open to prospective bidders.

To practice physical distancing only one (1) authorized representative per company is allowed to attend the conference.

Prospective bidders who are unable to join the conference physically may also opt to join the video conferencing. Below is the link for Zoom conference.

<https://us02web.zoom.us/j/87388577087?pwd=Vjlnc2VpbGtEaDZTdUNZT1BWekljUT09>  
Meeting ID: 873 8857 7087

7. Bids must be duly received by the BAC Secretariat at the address below on or before 9:00 AM of September 1, 2020. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18.

Bid opening shall be on September 1, 2020 - 9:00 AM at NMMC Function Hall, 2<sup>ND</sup> Floor Engineering Building, Capitol compound, Cagayan de Oro City. Bids will be opened in the presence of the bidders’ representatives who choose to attend at the address below. Late bids shall not be accepted.

8. The NORTHERN MINDANAO MEDICAL CENTER reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.
9. For further information, please refer to:

NORTHERN MINDANAO MEDICAL CENTER  
Capitol Compound, Cagayan de Oro City  
Tel. No.: 08822-723735 / Fax No. : 088-856 5490  
Email address: [nmmc\\_cdo@yahoo.com](mailto:nmmc_cdo@yahoo.com)  
[nmmcprocurement@yahoo.com](mailto:nmmcprocurement@yahoo.com)  
Website : [www.nmmc.doh.gov.ph](http://www.nmmc.doh.gov.ph)

AURELIA B. TACANDONG, CPA, MM  
BAC - Chairman

## Section II. Instructions to Bidders

## **TABLE OF CONTENTS**

|  |           |
|--|-----------|
| <b>A. GENERAL.....</b>   | <b>9</b>  |
| 1. Scope of Bid .....  | 9         |
| 2. Source of Funds .....   | 9         |
| 3. Corrupt, Fraudulent, Collusive, and Coercive Practices .....              | 9         |
| 4. Conflict of Interest .....  | 10        |
| 5. Eligible Bidders .....  | 12        |
| 6. Bidder's Responsibilities.....  | 13        |
| 7. Origin of Goods .....   | 15        |
| 8. Subcontracts.....   | 15        |
| <b>B. CONTENTS OF BIDDING DOCUMENTS.....</b>                                 | <b>16</b> |
| 9. Pre-Bid Conference .....  | 16        |
| 10. Clarification and Amendment of Bidding Documents.....                    | 16        |
| <b>C. PREPARATION OF BIDS .....</b>  | <b>17</b> |
| 11. Language of Bid.....   | 17        |
| 12. Documents Comprising the Bid: Eligibility and Technical Components ..... | 17        |
| 13. Documents Comprising the Bid: Financial Component .....                  | 19        |
| 14. Alternative Bids .....   | 20        |
| 15. Bid Prices.....  | 20        |
| 16. Bid Currencies .....   | 22        |
| 17. Bid Validity .....   | 22        |
| 18. Bid Security .....   | 23        |
| 19. Format and Signing of Bids.....  | 25        |
| 20. Sealing and Marking of Bids .....  | 25        |
| <b>D. SUBMISSION AND OPENING OF BIDS .....</b>                               | <b>26</b> |
| 21. Deadline for Submission of Bids .....                                    | 26        |
| 22. Late Bids.....   | 26        |
| 23. Modification and Withdrawal of Bids.....                                 | 27        |
| 24. Opening and Preliminary Examination of Bids.....                         | 27        |
| <b>E. EVALUATION AND COMPARISON OF BIDS .....</b>                            | <b>29</b> |
| 25. Process to be Confidential .....   | 29        |
| 26. Clarification of Bids.....   | 29        |
| 27. Domestic Preference .....  | 29        |

|     |  |    |
|-----|--|----|
| 28. | Detailed Evaluation and Comparison of Bids ..... | 30 |
| 29. | Post-Qualification .....                         | 31 |
| 30. | Reservation Clause.....                          | 32 |
| F.  | AWARD OF CONTRACT.....                           | 33 |
| 31. | Contract Award.....                              | 33 |
| 32. | Signing of the Contract .....                    | 34 |
| 33. | Performance Security .....                       | 35 |
| 34. | Notice to Proceed.....                           | 36 |
| 35. | Protest Mechanism.....                           | 37 |



## **A. General**

### **1. Scope of Bid**

- 1.1. The Procuring Entity named in the **BDS** invites bids for the supply and delivery of the Goods as described in Section VII. Technical Specifications.
- 1.2. The name, identification, and number of lots specific to this bidding are provided in the **BDS**. The contracting strategy and basis of evaluation of lots is described in **ITB** Clause 28.

### **2. Source of Funds**

The Procuring Entity has a budget or has received funds from the Funding Source named in the **BDS**, and in the amount indicated in the **BDS**. It intends to apply part of the funds received for the Project, as defined in the **BDS**, to cover eligible payments under the contract.

### **3. Corrupt, Fraudulent, Collusive, and Coercive Practices**

- 3.1. Unless otherwise specified in the **BDS**, the Procuring Entity as well as the bidders and suppliers shall observe the highest standard of ethics during the procurement and execution of the contract. In pursuance of this policy, the Procuring Entity:
  - (a) defines, for purposes of this provision, the terms set forth below as follows:
    - (i) “corrupt practice” means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in RA 3019.
    - (ii) “fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
    - (iii) “collusive practices” means a scheme or arrangement between two or more Bidders, with or without the knowledge of the

Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.

- (iv) “coercive practices” means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;
- (v) “obstructive practice” is
  - (aa) deliberately destroying, falsifying, altering or concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the administrative proceedings or investigation or from pursuing such proceedings or investigation; or
  - (bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.

3.2. Further, the Procuring Entity will seek to impose the maximum civil, administrative, and/or criminal penalties available under applicable laws on individuals and organizations deemed to be involved in any of the practices mentioned in **ITB** Clause 3.1(a).

3.3. Furthermore, the Funding Source and the Procuring Entity reserve the right to inspect and audit records and accounts of a bidder or supplier in the bidding for and performance of a contract themselves or through independent auditors as reflected in the **GCC** Clause 3.

#### **4. Conflict of Interest**

4.1. All Bidders found to have conflicting interests shall be disqualified to participate in the procurement at hand, without prejudice to the imposition of appropriate administrative, civil, and criminal sanctions. A Bidder may be considered to have conflicting interests with another Bidder in any of the events described in paragraphs (a) through (c) below and a general conflict of

interest in any of the circumstances set out in paragraphs (d) through (g) below:

- (a) A Bidder has controlling shareholders in common with another Bidder;
- (b) A Bidder receives or has received any direct or indirect subsidy from any other Bidder;
- (c) A Bidder has the same legal representative as that of another Bidder for purposes of this bid;
- (d) A Bidder has a relationship, directly or through third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder or influence the decisions of the Procuring Entity regarding this bidding process;
- (e) A Bidder submits more than one bid in this bidding process. However, this does not limit the participation of subcontractors in more than one bid;
- (f) A Bidder who participated as a consultant in the preparation of the design or technical specifications of the Goods and related services that are the subject of the bid; or
- (g) A Bidder who lends, or temporarily seconds, its personnel to firms or organizations which are engaged in consulting services for the preparation related to procurement for or implementation of the project, if the personnel would be involved in any capacity on the same project.

4.2. In accordance with Section 47 of the IRR of RA 9184, all Bidding Documents shall be accompanied by a sworn affidavit of the Bidder that it is not related to the Head of the Procuring Entity (HoPE), members of the Bids and Awards Committee (BAC), members of the Technical Working Group (TWG), members of the BAC Secretariat, the head of the Project Management Office (PMO) or the end-user unit, and the project consultants, by consanguinity or affinity up to the third civil degree. On the part of the Bidder, this Clause shall apply to the following persons:

- (a) If the Bidder is an individual or a sole proprietorship, to the Bidder himself;
- (b) If the Bidder is a partnership, to all its officers and members;
- (c) If the Bidder is a corporation, to all its officers, directors, and controlling stockholders;
- (d) If the Bidder is a cooperative, to all its officers, directors, and controlling shareholders or members; and

- (e) If the Bidder is a joint venture (JV), the provisions of items (a), (b), (c), or (d) of this Clause shall correspondingly apply to each of the members of the said JV, as may be appropriate.

Relationship of the nature described above or failure to comply with this Clause will result in the automatic disqualification of a Bidder.

## **5. Eligible Bidders**

5.1. Unless otherwise provided in the **BDS**, the following persons shall be eligible to participate in this bidding:

- (a) Duly licensed Filipino citizens/sole proprietorships;
- (b) Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines;
- (c) Corporations duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the outstanding capital stock belongs to citizens of the Philippines;
- (d) Cooperatives duly organized under the laws of the Philippines; and
- (e) Persons/entities forming themselves into a Joint Venture (JV), *i.e.*, a group of two (2) or more persons/entities that intend to be jointly and severally responsible or liable for a particular contract: Provided, however, that Filipino ownership or interest of the JV concerned shall be at least sixty percent (60%).

5.2. Foreign bidders may be eligible to participate when any of the following circumstances exist, as specified in the **BDS**:

- (a) When a Treaty or International or Executive Agreement as provided in Section 4 of RA 9184 and its IRR allow foreign bidders to participate;
- (b) Citizens, corporations, or associations of a country, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
- (c) When the Goods sought to be procured are not available from local suppliers; or
- (d) When there is a need to prevent situations that defeat competition or restrain trade.

5.3. Government owned or –controlled corporations (GOCCs) may be eligible to participate only if they can establish that they (a) are legally and financially autonomous, (b) operate under commercial law, and (c) are not attached agencies of the Procuring Entity.

- 5.4. Unless otherwise provided in the **BDS**, the Bidder must have completed a Single Largest Completed Contract (SLCC) similar to the Project and the value of which, adjusted, if necessary, by the Bidder to current prices using the Philippine Statistics Authority (PSA) consumer price index, must be at least equivalent to a percentage of the ABC stated in the **BDS**.

For this purpose, contracts similar to the Project shall be those described in the **BDS**, and completed within the relevant period stated in the Invitation to Bid and **ITB** Clause 12.1(a)(ii).

- 5.5. The Bidder must submit a computation of its Net Financial Contracting Capacity (NFCC), which must be at least equal to the ABC to be bid, calculated as follows:

NFCC = [(Current assets minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid.

The values of the domestic bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.

For purposes of computing the foreign bidders' NFCC, the value of the current assets and current liabilities shall be based on their audited financial statements prepared in accordance with international financial reporting standards.

If the prospective bidder opts to submit a committed Line of Credit, it must be at least equal to ten percent (10%) of the ABC to be bid. If issued by a foreign universal or commercial bank, it shall be confirmed or authenticated by a local universal or commercial bank.

## **6. Bidder's Responsibilities**

- 6.1. The Bidder or its duly authorized representative shall submit a sworn statement in the form prescribed in Section VIII. Bidding Forms. as required in **ITB** Clause 12.1(b)(iii).
- 6.2. The Bidder is responsible for the following:
- (a) Having taken steps to carefully examine all of the Bidding Documents;
  - (b) Having acknowledged all conditions, local or otherwise, affecting the implementation of the contract;
  - (c) Having made an estimate of the facilities available and needed for the contract to be bid, if any;
  - (d) Having complied with its responsibility to inquire or secure Supplemental/Bid Bulletin(s) as provided under **ITB** Clause 10.4.

- (e) Ensuring that it is not “blacklisted” or barred from bidding by the GOP or any of its agencies, offices, corporations, or LGUs, including foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the GPPB;
- (f) Ensuring that each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- (g) Authorizing the HOPE or its duly authorized representative/s to verify all the documents submitted;
- (h) Ensuring that the signatory is the duly authorized representative of the Bidder, and granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the Bidder in the bidding, with the duly notarized Secretary’s Certificate attesting to such fact, if the Bidder is a corporation, partnership, cooperative, or joint venture;
- (i) Complying with the disclosure provision under Section 47 of RA 9184 and its IRR in relation to other provisions of RA 3019;
- (j) Complying with existing labor laws and standards, in the case of procurement of services; Moreover, bidder undertakes to:
  - (i) Ensure the entitlement of workers to wages, hours of work, safety and health and other prevailing conditions of work as established by national laws, rules and regulations; or collective bargaining agreement; or arbitration award, if and when applicable.

In case there is a finding by the Procuring Entity or the DOLE of underpayment or non-payment of workers’ wage and wage-related benefits, bidder agrees that the performance security or portion of the contract amount shall be withheld in favor of the complaining workers pursuant to appropriate provisions of Republic Act No. 9184 without prejudice to the institution of appropriate actions under the Labor Code, as amended, and other social legislations.

- (ii) Comply with occupational safety and health standards and to correct deficiencies, if any.

In case of imminent danger, injury or death of the worker, bidder undertakes to suspend contract implementation pending clearance to proceed from the DOLE Regional Office and to comply with Work Stoppage Order; and

- (iii) Inform the workers of their conditions of work, labor clauses under the contract specifying wages, hours of work and other benefits under prevailing national laws, rules and regulations; or collective bargaining agreement; or arbitration award, if and when applicable, through posting in two (2) conspicuous places in the establishment's premises; and
- (k) Ensuring that it did not give or pay, directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

Failure to observe any of the above responsibilities shall be at the risk of the Bidder concerned.

- 6.3. The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents.
- 6.4. It shall be the sole responsibility of the Bidder to determine and to satisfy itself by such means as it considers necessary or desirable as to all matters pertaining to the contract to be bid, including: (a) the location and the nature of this Project; (b) climatic conditions; (c) transportation facilities; and (d) other factors that may affect the cost, duration, and execution or implementation of this Project.
- 6.5. The Procuring Entity shall not assume any responsibility regarding erroneous interpretations or conclusions by the prospective or eligible bidder out of the data furnished by the procuring entity. However, the Procuring Entity shall ensure that all information in the Bidding Documents, including bid/supplemental bid bulletin/s issued, are correct and consistent.
- 6.6. Before submitting their bids, the Bidder is deemed to have become familiar with all existing laws, decrees, ordinances, acts and regulations of the Philippines which may affect this Project in any way.
- 6.7. The Bidder shall bear all costs associated with the preparation and submission of his bid, and the Procuring Entity will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
- 6.8. The Bidder should note that the Procuring Entity will accept bids only from those that have paid the applicable fee for the Bidding Documents at the office indicated in the Invitation to Bid.

## **7. Origin of Goods**

Unless otherwise indicated in the **BDS**, there is no restriction on the origin of goods other than those prohibited by a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, subject to **ITB** Clause 27.1.

## **8. Subcontracts**

- 8.1. Unless otherwise specified in the **BDS**, the Bidder may subcontract portions of the Goods to an extent as may be approved by the Procuring Entity and stated in the **BDS**. However, subcontracting of any portion shall not relieve the Bidder from any liability or obligation that may arise from the contract for this Project.
- 8.2. Subcontractors must submit the documentary requirements under **ITB** Clause 12 and comply with the eligibility criteria specified in the **BDS**. In the event that any subcontractor is found by the Procuring Entity to be ineligible, the subcontracting of such portion of the Goods shall be disallowed.
- 8.3. The Bidder may identify the subcontractor to whom a portion of the Goods will be subcontracted at any stage of the bidding process or during contract implementation. If the Bidder opts to disclose the name of the subcontractor during bid submission, the Bidder shall include the required documents as part of the technical component of its bid.

## **B. Contents of Bidding Documents**

### **9. Pre-Bid Conference**

- 9.1. (a) If so specified in the **BDS**, a pre-bid conference shall be held at the venue and on the date indicated therein, to clarify and address the Bidders' questions on the technical and financial components of this Project.  
  
(b) The pre-bid conference shall be held at least twelve (12) calendar days before the deadline for the submission and receipt of bids, but not earlier than seven (7) calendar days from the posting of the invitation to bid/bidding documents in the PhilGEPS website. If the Procuring Entity determines that, by reason of the method, nature, or complexity of the contract to be bid, or when international participation will be more advantageous to the GOP, a longer period for the preparation of bids is necessary, the pre-bid conference shall be held at least thirty (30) calendar days before the deadline for the submission and receipt of bids, as specified in the **BDS**.
- 9.2. Bidders are encouraged to attend the pre-bid conference to ensure that they fully understand the Procuring Entity's requirements. Non-attendance of the Bidder will in no way prejudice its bid; however, the Bidder is expected to know the changes and/or amendments to the Bidding Documents as recorded in the minutes of the pre-bid conference and the Supplemental/Bid Bulletin. The minutes of the pre-bid conference shall be recorded and prepared not later than five (5) calendar days after the pre-bid conference. The minutes shall be made available to prospective bidders not later than five (5) days upon written request.
- 9.3. Decisions of the BAC amending any provision of the bidding documents shall be issued in writing through a Supplemental/Bid Bulletin at least seven (7) calendar days before the deadline for the submission and receipt of bids.

### **10. Clarification and Amendment of Bidding Documents**



- 10.1. Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such request must be in writing and submitted to the Procuring Entity at the address indicated in the **BDS** at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.
- 10.2. The BAC shall respond to the said request by issuing a Supplemental/Bid Bulletin, to be made available to all those who have properly secured the Bidding Documents, at least seven (7) calendar days before the deadline for the submission and receipt of Bids.
- 10.3. Supplemental/Bid Bulletins may also be issued upon the Procuring Entity's initiative for purposes of clarifying or modifying any provision of the Bidding Documents not later than seven (7) calendar days before the deadline for the submission and receipt of Bids. Any modification to the Bidding Documents shall be identified as an amendment.
- 10.4. Any Supplemental/Bid Bulletin issued by the BAC shall also be posted in the PhilGEPS and the website of the Procuring Entity concerned, if available, and at any conspicuous place in the premises of the Procuring Entity concerned. It shall be the responsibility of all Bidders who have properly secured the Bidding Documents to inquire and secure Supplemental/Bid Bulletins that may be issued by the BAC. However, Bidders who have submitted bids before the issuance of the Supplemental/Bid Bulletin must be informed and allowed to modify or withdraw their bids in accordance with **ITB** Clause 23.

## **C. Preparation of Bids**

### **11. Language of Bids**

The eligibility requirements or statements, the bids, and all other documents to be submitted to the BAC must be in English. If the eligibility requirements or statements, the bids, and all other documents submitted to the BAC are in foreign language other than English, it must be accompanied by a translation of the documents in English. The documents shall be translated by the relevant foreign government agency, the foreign government agency authorized to translate documents, or a registered translator in the foreign bidder's country; and shall be authenticated by the appropriate Philippine foreign service establishment/post or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. The English translation shall govern, for purposes of interpretation of the bid.

### **12. Documents Comprising the Bid: Eligibility and Technical Components**

- 12.1. Unless otherwise indicated in the **BDS**, the first envelope shall contain the following eligibility and technical documents:

- (a) Eligibility Documents –

Class "A" Documents:

- (i) PhilGEPS Certificate of Registration and Membership in accordance with Section 8.5.2 of the IRR, except for foreign bidders participating in the procurement by a Philippine Foreign Service Office or Post, which shall submit their eligibility documents under Section 23.1 of the IRR, provided, that the winning bidder shall register with the PhilGEPS in accordance with section 37.1.4 of the IRR.
- (ii) Statement of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and

Statement of the Bidder's SLCC similar to the contract to be bid, in accordance with ITB Clause 5.4, within the relevant period as provided in the **BDS**.

The two statements required shall indicate for each contract the following:

- (ii.1) name of the contract;
- (ii.2) date of the contract;
- (ii.3) contract duration;
- (ii.4) owner's name and address;
- (ii.5) kinds of Goods;
- (ii.6) For Statement of Ongoing Contracts - amount of contract and value of outstanding contracts;
- (ii.7) For Statement of SLCC - amount of completed contracts, adjusted by the Bidder to current prices using PSA's consumer price index, if necessary for the purpose of meeting the SLCC requirement;
- (ii.8) date of delivery; and
- (ii.9) end user's acceptance or official receipt(s) or sales invoice issued for the contract, if completed, which shall be attached to the statements.
- (iii) NFCC computation in accordance with ITB Clause 5.5 or a committed Line of Credit from a universal or commercial bank.

**Class "B" Document:**

- (iv) If applicable, the Joint Venture Agreement (JVA) in case the joint venture is already in existence, or duly notarized

statements from all the potential joint venture partners in accordance with Section 23.1(b) of the IRR.

- (b) Technical Documents –
  - (i) Bid security in accordance with **ITB** Clause 18. If the Bidder opts to submit the bid security in the form of:
    - (i.1) a bank draft/guarantee or an irrevocable letter of credit issued by a foreign bank, it shall be accompanied by a confirmation from a Universal or Commercial Bank; or
    - (i.2) a surety bond, it shall be accompanied by a certification by the Insurance Commission that the surety or insurance company is authorized to issue such instruments;
  - (ii) Conformity with technical specifications, as enumerated and specified in Sections VI and VII of the Bidding Documents; and
  - (iii) Sworn statement in accordance with Section 25.3 of the IRR of RA 9184 and using the form prescribed in Section VIII. Bidding Forms
  - (iv) For foreign bidders claiming eligibility by reason of their country's extension of reciprocal rights to Filipinos, a certification from the relevant government office of their country stating that Filipinos are allowed to participate in their government procurement activities for the same item or product.

### **13. Documents Comprising the Bid: Financial Component**

- 13.1. Unless otherwise stated in the **BDS**, the financial component of the bid shall contain the following:
  - (a) Financial Bid Form, which includes bid prices and the applicable Price Schedules, in accordance with **ITB** Clauses 15.1 and 15.4;
  - (b) If the Bidder claims preference as a Domestic Bidder, a certification from the DTI issued in accordance with **ITB** Clause 27, unless otherwise provided in the **BDS**; and
  - (c) Any other document related to the financial component of the bid as stated in the **BDS**.
- 13.2. (a) Unless otherwise stated in the **BDS**, all bids that exceed the ABC shall not be accepted.

- (b) Unless otherwise indicated in the **BDS**, for foreign-funded procurement, a ceiling may be applied to bid prices provided the following conditions are met:
- (i) Bidding Documents are obtainable free of charge on a freely accessible website. If payment of Bidding Documents is required by the procuring entity, payment could be made upon the submission of bids.
  - (ii) The procuring entity has procedures in place to ensure that the ABC is based on recent estimates made by the responsible unit of the procuring entity and that the estimates reflect the quality, supervision and risk and inflationary factors, as well as prevailing market prices, associated with the types of works or goods to be procured.
  - (iii) The procuring entity has trained cost estimators on estimating prices and analyzing bid variances.
  - (iv) The procuring entity has established a system to monitor and report bid prices relative to ABC and engineer's/procuring entity's estimate.
  - (v) The procuring entity has established a monitoring and evaluation system for contract implementation to provide a feedback on actual total costs of goods and works.

## **14. Alternative Bids**

- 14.1 Alternative Bids shall be rejected. For this purpose, alternative bid is an offer made by a Bidder in addition or as a substitute to its original bid which may be included as part of its original bid or submitted separately therewith for purposes of bidding. A bid with options is considered an alternative bid regardless of whether said bid proposal is contained in a single envelope or submitted in two (2) or more separate bid envelopes.
- 14.2 Each Bidder shall submit only one Bid, either individually or as a partner in a JV. A Bidder who submits or participates in more than one bid (other than as a subcontractor if a subcontractor is permitted to participate in more than one bid) will cause all the proposals with the Bidder's participation to be disqualified. This shall be without prejudice to any applicable criminal, civil and administrative penalties that may be imposed upon the persons and entities concerned.

## **15. Bid Prices**

- 15.1. The Bidder shall complete the appropriate Schedule of Prices included herein, stating the unit prices, total price per item, the total amount and the expected countries of origin of the Goods to be supplied under this Project.

- 15.2. The Bidder shall fill in rates and prices for all items of the Goods described in the Schedule of Prices. Bids not addressing or providing all of the required items in the Bidding Documents including, where applicable, Schedule of Prices, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a zero (0) or a dash (-) for the said item would mean that it is being offered for free to the Government, except those required by law or regulations to be accomplished.
- 15.3. The terms Ex Works (EXW), Cost, Insurance and Freight (CIF), Cost and Insurance Paid to (CIP), Delivered Duty Paid (DDP), and other trade terms used to describe the obligations of the parties, shall be governed by the rules prescribed in the current edition of the International Commercial Terms (INCOTERMS) published by the International Chamber of Commerce, Paris.
- 15.4. Prices indicated on the Price Schedule shall be entered separately in the following manner:
- (a) For Goods offered from within the Procuring Entity's country:
    - (i) The price of the Goods quoted EXW (ex works, ex factory, ex warehouse, ex showroom, or off-the-shelf, as applicable);
    - (ii) The cost of all customs duties and sales and other taxes already paid or payable;
    - (iii) The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - (iv) The price of other (incidental) services, if any, listed in the **BDS**.
  - (b) For Goods offered from abroad:
    - (i) Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted DDP with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - (ii) The price of other (incidental) services, if any, listed in the **BDS**.
  - (c) For Services, based on the form which may be prescribed by the Procuring Entity, in accordance with existing laws, rules and regulations
- 15.5. Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or price escalation on any account. A

bid submitted with an adjustable price quotation shall be treated as non-responsive and shall be rejected, pursuant to **ITB** Clause 24.

All bid prices for the given scope of work in the contract as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances. Upon the recommendation of the Procuring Entity, price escalation may be allowed in extraordinary circumstances as may be determined by the National Economic and Development Authority in accordance with the Civil Code of the Philippines, and upon approval by the GPPB. Nevertheless, in cases where the cost of the awarded contract is affected by any applicable new laws, ordinances, regulations, or other acts of the GOP, promulgated after the date of bid opening, a contract price adjustment shall be made or appropriate relief shall be applied on a no loss-no gain basis.

## **16. Bid Currencies**

16.1. Prices shall be quoted in the following currencies:

- (a) For Goods that the Bidder will supply from within the Philippines, the prices shall be quoted in Philippine Pesos.
- (b) For Goods that the Bidder will supply from outside the Philippines, the prices may be quoted in the currency(ies) stated in the **BDS**. However, for purposes of bid evaluation, bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the *Bangko Sentral ng Pilipinas* (BSP) reference rate bulletin on the day of the bid opening.

16.2. If so allowed in accordance with **ITB** Clause 16.1, the Procuring Entity for purposes of bid evaluation and comparing the bid prices will convert the amounts in various currencies in which the bid price is expressed to Philippine Pesos at the foregoing exchange rates.

16.3. Unless otherwise specified in the **BDS**, payment of the contract price shall be made in Philippine Pesos.

## **17. Bid Validity**

17.1. Bids shall remain valid for the period specified in the **BDS** which shall not exceed one hundred twenty (120) calendar days from the date of the opening of bids.

17.2. In exceptional circumstances, prior to the expiration of the bid validity period, the Procuring Entity may request Bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. The bid security described in **ITB** Clause 18 should also be extended corresponding to the extension of the bid validity period at the least. A Bidder may refuse the request without forfeiting its bid security, but his bid shall no longer be considered for further evaluation and award. A Bidder granting the request shall not be required or permitted to modify its bid.

## 18. Bid Security

- 18.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount stated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the following schedule:

| Form of Bid Security   | Amount of Bid Security<br>(Not Less than the Percentage of the ABC) |
|--|---|
| <p>(a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.</p> <p><i>For biddings conducted by LGUs, the Cashier's/Manager's Check may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i></p>   | Two percent (2%)  |
| <p>(b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.</p> <p><i>For biddings conducted by LGUs, Bank Draft/Guarantee, or Irrevocable Letter of Credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i></p> |   |
| <p>(c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.</p>   | Five percent (5%)   |

The Bid Securing Declaration mentioned above is an undertaking which states, among others, that the Bidder shall enter into contract with the procuring entity and furnish the performance security required under ITB Clause 33.2, within ten (10) calendar days from receipt of the Notice of Award, and commits to pay the corresponding amount as fine, and be suspended for a period of time from being qualified to participate in any

government procurement activity in the event it violates any of the conditions stated therein as provided in the guidelines issued by the GPPB.

- 18.2. The bid security should be valid for the period specified in the **BDS**. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 18.3. No bid securities shall be returned to Bidders after the opening of bids and before contract signing, except to those that failed or declared as post-disqualified, upon submission of a written waiver of their right to file a request for reconsideration and/or protest, or upon the lapse of the reglementary period to file a request for reconsideration or protest. Without prejudice on its forfeiture, bid securities shall be returned only after the Bidder with the Lowest Calculated Responsive Bid (LCRB) has signed the contract and furnished the performance security, but in no case later than the expiration of the bid security validity period indicated in **ITB** Clause 18.2.
- 18.4. Upon signing and execution of the contract pursuant to **ITB** Clause 32, and the posting of the performance security pursuant to **ITB** Clause 33, the successful Bidder's bid security will be discharged, but in no case later than the bid security validity period as indicated in the **ITB** Clause 18.2.
- 18.5. The bid security may be forfeited:
  - (a) if a Bidder:
    - (i) withdraws its bid during the period of bid validity specified in **ITB** Clause 17;
    - (ii) does not accept the correction of errors pursuant to **ITB** Clause 28.3(b);
    - (iii) has a finding against the veracity of any of the documents submitted as stated in **ITB** Clause 29.2;
    - (iv) submission of eligibility requirements containing false information or falsified documents;
    - (v) submission of bids that contain false information or falsified documents, or the concealment of such information in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding;
    - (vi) allowing the use of one's name, or using the name of another for purposes of public bidding;
    - (vii) withdrawal of a bid, or refusal to accept an award, or enter into contract with the Government without justifiable cause, after the Bidder had been adjudged as having submitted the LCRB;
    - (viii) refusal or failure to post the required performance security within the prescribed time;



- (ix) refusal to clarify or validate in writing its bid during post-qualification within a period of seven (7) calendar days from receipt of the request for clarification;
  - (x) any documented attempt by a Bidder to unduly influence the outcome of the bidding in his favor;
  - (xi) failure of the potential joint venture partners to enter into the joint venture after the bid is declared successful; or
  - (xii) all other acts that tend to defeat the purpose of the competitive bidding, such as habitually withdrawing from bidding, submitting late Bids or patently insufficient bid, for at least three (3) times within a year, except for valid reasons.
- (b) if the successful Bidder:
- (i) fails to sign the contract in accordance with **ITB** Clause 32; or
  - (ii) fails to furnish performance security in accordance with **ITB** Clause 33.

## 19. Format and Signing of Bids

19.1 Bidders shall submit their bids through their duly authorized representative using the appropriate forms provided in Section VIII. Bidding Forms on or before the deadline specified in the **ITB** Clauses 21 in two (2) separate sealed bid envelopes, and which shall be submitted simultaneously. The first shall contain the technical component of the bid, including the eligibility requirements under **ITB** Clause 12.1, and the second shall contain the financial component of the bid. This shall also be observed for each lot in the case of lot procurement.

19.2 Forms as mentioned in **ITB** Clause 0 must be completed without any alterations to their format, and no substitute form shall be accepted. All blank spaces shall be filled in with the information requested.

19.3 The Bidder shall prepare and submit an original of the first and second envelopes as described in **ITB** Clauses 12 and 13. In addition, the Bidder shall submit copies of the first and second envelopes. In the event of any discrepancy between the original and the copies, the original shall prevail.

19.4 Each and every page of the Bid Form, including the Schedule of Prices, under Section VIII hereof, shall be signed by the duly authorized representative/s of the Bidder. Failure to do so shall be a ground for the rejection of the bid.

19.5 Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder.

## 20. Sealing and Marking of Bids

- 20.1. Bidders shall enclose their original eligibility and technical documents described in **ITB** Clause 12 in one sealed envelope marked “ORIGINAL - TECHNICAL COMPONENT”, and the original of their financial component in another sealed envelope marked “ORIGINAL - FINANCIAL COMPONENT”, sealing them all in an outer envelope marked “ORIGINAL BID”.
- 20.2. Each copy of the first and second envelopes shall be similarly sealed duly marking the inner envelopes as “COPY NO. \_\_\_\_ - TECHNICAL COMPONENT” and “COPY NO. \_\_\_\_ – FINANCIAL COMPONENT” and the outer envelope as “COPY NO. \_\_\_\_”, respectively. These envelopes containing the original and the copies shall then be enclosed in one single envelope.
- 20.3. The original and the number of copies of the Bid as indicated in the **BDS** shall be typed or written in ink and shall be signed by the Bidder or its duly authorized representative/s.
- 20.4. All envelopes shall:
- (a) contain the name of the contract to be bid in capital letters;
  - (b) bear the name and address of the Bidder in capital letters;
  - (c) be addressed to the Procuring Entity’s BAC in accordance with **ITB** Clause 1.1;
  - (d) bear the specific identification of this bidding process indicated in the **ITB** Clause 1.2; and
  - (e) bear a warning “DO NOT OPEN BEFORE...” the date and time for the opening of bids, in accordance with **ITB** Clause 21.
- 20.5. Bid envelopes that are not properly sealed and marked, as required in the bidding documents, shall not be rejected, but the Bidder or its duly authorized representative shall acknowledge such condition of the bid as submitted. The BAC or the Procuring Entity shall assume no responsibility for the misplacement of the contents of the improperly sealed or marked bid, or for its premature opening.

## **D. Submission and Opening of Bids**

### **21. Deadline for Submission of Bids**

Bids must be received by the Procuring Entity’s BAC at the address and on or before the date and time indicated in the **BDS**.

### **22. Late Bids**

Any bid submitted after the deadline for submission and receipt of bids prescribed by the Procuring Entity, pursuant to **ITB** Clause 21, shall be declared “Late” and shall

not be accepted by the Procuring Entity. The BAC shall record in the minutes of bid submission and opening, the Bidder's name, its representative and the time the late bid was submitted.

## **23. Modification and Withdrawal of Bids**

- 23.1. The Bidder may modify its bid after it has been submitted; provided that the modification is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids. The Bidder shall not be allowed to retrieve its original bid, but shall be allowed to submit another bid equally sealed and properly identified in accordance with ITB Clause 20, linked to its original bid marked as "TECHNICAL MODIFICATION" or "FINANCIAL MODIFICATION" and stamped "received" by the BAC. Bid modifications received after the applicable deadline shall not be considered and shall be returned to the Bidder unopened.
- 23.2. A Bidder may, through a Letter of Withdrawal, withdraw its bid after it has been submitted, for valid and justifiable reason; provided that the Letter of Withdrawal is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids. The Letter of Withdrawal must be executed by the duly authorized representative of the Bidder identified in the Omnibus Sworn Statement, a copy of which should be attached to the letter.
- 23.3. Bids requested to be withdrawn in accordance with **ITB** Clause 23.1 shall be returned unopened to the Bidders. A Bidder, who has acquired the bidding documents, may also express its intention not to participate in the bidding through a letter which should reach and be stamped by the BAC before the deadline for submission and receipt of bids. A Bidder that withdraws its bid shall not be permitted to submit another bid, directly or indirectly, for the same contract.
- 23.4. No bid may be modified after the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Financial Bid Form. Withdrawal of a bid during this interval shall result in the forfeiture of the Bidder's bid security, pursuant to **ITB** Clause 18.5, and the imposition of administrative, civil and criminal sanctions as prescribed by RA 9184 and its IRR.

## **24. Opening and Preliminary Examination of Bids**

- 24.1. The BAC shall open the bids in public, immediately after the deadline for the submission and receipt of bids, as specified in the **BDS**. In case the Bids cannot be opened as scheduled due to justifiable reasons, the BAC shall take custody of the Bids submitted and reschedule the opening of Bids on the next working day or at the soonest possible time through the issuance of a Notice of

Postponement to be posted in the PhilGEPS website and the website of the Procuring Entity concerned.

- 24.2. Unless otherwise specified in the **BDS**, the BAC shall open the first bid envelopes and determine each Bidder's compliance with the documents prescribed in **ITB** Clause 12, using a non-discretionary "pass/fail" criterion. If a Bidder submits the required document, it shall be rated "passed" for that particular requirement. In this regard, bids that fail to include any requirement or are incomplete or patently insufficient shall be considered as "failed". Otherwise, the BAC shall rate the said first bid envelope as "passed".
- 24.3. Unless otherwise specified in the **BDS**, immediately after determining compliance with the requirements in the first envelope, the BAC shall forthwith open the second bid envelope of each remaining eligible bidder whose first bid envelope was rated "passed". The second envelope of each complying bidder shall be opened within the same day. In case one or more of the requirements in the second envelope of a particular bid is missing, incomplete or patently insufficient, and/or if the submitted total bid price exceeds the ABC unless otherwise provided in **ITB** Clause 13.2, the BAC shall rate the bid concerned as "failed". Only bids that are determined to contain all the bid requirements for both components shall be rated "passed" and shall immediately be considered for evaluation and comparison.
- 24.4. Letters of Withdrawal shall be read out and recorded during bid opening, and the envelope containing the corresponding withdrawn bid shall be returned to the Bidder unopened.
- 24.5. All members of the BAC who are present during bid opening shall initial every page of the original copies of all bids received and opened.
- 24.6. In the case of an eligible foreign bidder as described in **ITB** Clause 5, the following Class "A" Documents may be substituted with the appropriate equivalent documents, if any, issued by the country of the foreign Bidder concerned, which shall likewise be uploaded and maintained in the PhilGEPS in accordance with Section 8.5.2 of the IRR:
  - (a) Registration certificate from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives;
  - (b) Mayor's/Business permit issued by the local government where the principal place of business of the bidder is located; and
  - (c) Audited Financial Statements showing, among others, the prospective bidder's total and current assets and liabilities stamped "received" by the Bureau of Internal Revenue or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two years from the date of bid submission.
- 24.7. Each partner of a joint venture agreement shall likewise submit the requirements in **ITB** Clause 12.1(a)(i). Submission of documents required

under **ITB** Clauses 12.1(a)(ii) to 12.1(a)(iii) by any of the joint venture partners constitutes compliance.

- 24.8. The Procuring Entity shall prepare the minutes of the proceedings of the bid opening that shall include, as a minimum: (a) names of Bidders, their bid price (per lot, if applicable, and/or including discount, if any), bid security, findings of preliminary examination, and whether there is a withdrawal or modification; and (b) attendance sheet. The BAC members shall sign the abstract of bids as read.
- 24.8 The bidders or their duly authorized representatives may attend the opening of bids. The BAC shall ensure the integrity, security, and confidentiality of all submitted bids. The Abstract of Bids as read and the minutes of the bid opening shall be made available to the public upon written request and payment of a specified fee to recover cost of materials.
- 24.9 To ensure transparency and accurate representation of the bid submission, the BAC Secretariat shall notify in writing all bidders whose bids it has received through its PhilGEPS-registered physical address or official e-mail address. The notice shall be issued within seven (7) calendar days from the date of the bid opening.

## **E. Evaluation and Comparison of Bids**

### **25. Process to be Confidential**

- 25.1. Members of the BAC, including its staff and personnel, as well as its Secretariat and TWG, are prohibited from making or accepting any kind of communication with any bidder regarding the evaluation of their bids until the issuance of the Notice of Award, unless otherwise allowed in the case of **ITB** Clause 26.
- 25.2. Any effort by a bidder to influence the Procuring Entity in the Procuring Entity's decision in respect of bid evaluation, bid comparison or contract award will result in the rejection of the Bidder's bid.

### **26. Clarification of Bids**

To assist in the evaluation, comparison, and post-qualification of the bids, the Procuring Entity may ask in writing any Bidder for a clarification of its bid. All responses to requests for clarification shall be in writing. Any clarification submitted by a Bidder in respect to its bid and that is not in response to a request by the Procuring Entity shall not be considered.

### **27. Domestic Preference**

- 27.1. Unless otherwise stated in the **BDS**, the Procuring Entity will grant a margin of preference for the purpose of comparison of bids in accordance with the following:

- (a) The preference shall be applied when the lowest Foreign Bid is lower than the lowest bid offered by a Domestic Bidder.
  - (b) For evaluation purposes, the lowest Foreign Bid shall be increased by fifteen percent (15%).
  - (c) In the event that the lowest bid offered by a Domestic Bidder does not exceed the lowest Foreign Bid as increased, then the Procuring Entity shall award the contract to the Domestic Bidder at the amount of the lowest Foreign Bid.
  - (d) If the Domestic Bidder refuses to accept the award of contract at the amount of the Foreign Bid within two (2) calendar days from receipt of written advice from the BAC, the Procuring Entity shall award to the bidder offering the Foreign Bid, subject to post-qualification and submission of all the documentary requirements under these Bidding Documents.
- 27.2. A Bidder may be granted preference as a Domestic Bidder subject to the certification from the DTI that the Bidder is offering unmanufactured articles, materials or supplies of the growth or production of the Philippines, or manufactured articles, materials, or supplies manufactured or to be manufactured in the Philippines substantially from articles, materials, or supplies of the growth, production, or manufacture, as the case may be, of the Philippines.

## **28. Detailed Evaluation and Comparison of Bids**

- 28.1. The Procuring Entity will undertake the detailed evaluation and comparison of bids which have passed the opening and preliminary examination of bids, pursuant to **ITB** Clause 24, in order to determine the Lowest Calculated Bid.
- 28.2. The Lowest Calculated Bid shall be determined in two steps:
- (a) The detailed evaluation of the financial component of the bids, to establish the correct calculated prices of the bids; and
  - (b) The ranking of the total bid prices as so calculated from the lowest to the highest. The bid with the lowest price shall be identified as the Lowest Calculated Bid.
- 28.3. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the following in the evaluation of bids:
- (a) Completeness of the bid. Unless the **BDS** allows partial bids, bids not addressing or providing all of the required items in the Schedule of Requirements including, where applicable, Schedule of Prices, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a zero (0)

or a dash (-) for the said item would mean that it is being offered for free to the Procuring Entity, except those required by law or regulations to be provided for; and

- (b) Arithmetical corrections. Consider computational errors and omissions to enable proper comparison of all eligible bids. It may also consider bid modifications. Any adjustment shall be calculated in monetary terms to determine the calculated prices.

- 28.4. Based on the detailed evaluation of bids, those that comply with the above-mentioned requirements shall be ranked in the ascending order of their total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, to identify the Lowest Calculated Bid. Total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, which exceed the ABC shall not be considered, unless otherwise indicated in the **BDS**.
- 28.5. The Procuring Entity's evaluation of bids shall be based on the bid price quoted in the Bid Form, which includes the Schedule of Prices.
- 28.6. Bids shall be evaluated on an equal footing to ensure fair competition. For this purpose, all bidders shall be required to include in their bids the cost of all taxes, such as, but not limited to, value added tax (VAT), income tax, local taxes, and other fiscal levies and duties which shall be itemized in the bid form and reflected in the detailed estimates. Such bids, including said taxes, shall be the basis for bid evaluation and comparison.
- 28.7. If so indicated pursuant to **ITB** Clause 1.2, Bids are being invited for individual lots or for any combination thereof, provided that all Bids and combinations of Bids shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid prices quoted shall correspond to all items specified for each lot and to all quantities specified for each item of a lot. Bid Security as required by **ITB** Clause 18 shall be submitted for each contract (lot) separately. The basis for evaluation of lots is specified in BDS Clause 28.3.

## **29. Post-Qualification**

- 29.1. The BAC shall determine to its satisfaction whether the Bidder that is evaluated as having submitted the Lowest Calculated Bid complies with and is responsive to all the requirements and conditions specified in **ITB** Clauses 5, 12, and 13.
- 29.2. Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

Failure to submit any of the post-qualification requirements on time, or a finding against the veracity thereof, shall disqualify the bidder for award. Provided in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the bid security in accordance with Section 69 of the IRR of RA 9184.

- 29.3. The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted pursuant to **ITB** Clauses 12 and 13, as well as other information as the Procuring Entity deems necessary and appropriate, using a non-discretionary "pass/fail" criterion, which shall be completed within a period of twelve (12) calendar days.
- 29.4. If the BAC determines that the Bidder with the Lowest Calculated Bid passes all the criteria for post-qualification, it shall declare the said bid as the LCRB, and recommend to the HoPE the award of contract to the said Bidder at its submitted price or its calculated bid price, whichever is lower.
- 29.5. A negative determination shall result in rejection of the Bidder's Bid, in which event the Procuring Entity shall proceed to the next Lowest Calculated Bid with a fresh period to make a similar determination of that Bidder's capabilities to perform satisfactorily. If the second Bidder, however, fails the post qualification, the procedure for post qualification shall be repeated for the Bidder with the next Lowest Calculated Bid, and so on until the LCRB is determined for recommendation for contract award.
- 29.6. Within a period not exceeding fifteen (15) calendar days from the determination by the BAC of the LCRB and the recommendation to award the contract, the HoPE or his duly authorized representative shall approve or disapprove the said recommendation.
- 29.7. In the event of disapproval, which shall be based on valid, reasonable, and justifiable grounds as provided for under Section 41 of the IRR of RA 9184, the HoPE shall notify the BAC and the Bidder in writing of such decision and the grounds for it. When applicable, the BAC shall conduct a post-qualification of the Bidder with the next Lowest Calculated Bid. A request for reconsideration may be filed by the bidder with the HoPE in accordance with Section 37.1.3 of the IRR of RA 9184.

### **30. Reservation Clause**

- 30.1. Notwithstanding the eligibility or post-qualification of a Bidder, the Procuring Entity concerned reserves the right to review its qualifications at any stage of the procurement process if it has reasonable grounds to believe that a misrepresentation has been made by the said Bidder, or that there has been a change in the Bidder's capability to undertake the project from the time it submitted its eligibility requirements. Should such review uncover any misrepresentation made in the eligibility and bidding requirements, statements or documents, or any changes in the situation of the Bidder which will affect its capability to undertake the project so that it fails the preset eligibility or bid evaluation criteria, the Procuring Entity shall consider the said Bidder as



ineligible and shall disqualify it from submitting a bid or from obtaining an award or contract.

- 30.2. Based on the following grounds, the Procuring Entity reserves the right to reject any and all bids, declare a Failure of Bidding at any time prior to the contract award, or not to award the contract, without thereby incurring any liability, and make no assurance that a contract shall be entered into as a result of the bidding:
- (a) If there is *prima facie* evidence of collusion between appropriate public officers or employees of the Procuring Entity, or between the BAC and any of the Bidders, or if the collusion is between or among the bidders themselves, or between a Bidder and a third party, including any act which restricts, suppresses or nullifies or tends to restrict, suppress or nullify competition;
  - (b) If the Procuring Entity's BAC is found to have failed in following the prescribed bidding procedures; or
  - (c) For any justifiable and reasonable ground where the award of the contract will not redound to the benefit of the GOP as follows:
    - (i) If the physical and economic conditions have significantly changed so as to render the project no longer economically, financially or technically feasible as determined by the HoPE;
    - (ii) If the project is no longer necessary as determined by the HoPE; and
    - (iii) If the source of funds for the project has been withheld or reduced through no fault of the Procuring Entity.
- 30.3. In addition, the Procuring Entity may likewise declare a failure of bidding when:
- (a) No bids are received;
  - (b) All prospective Bidders are declared ineligible;
  - (c) All bids fail to comply with all the bid requirements or fail post-qualification; or
  - (d) The bidder with the LCRB refuses, without justifiable cause to accept the award of contract, and no award is made in accordance with Section 40 of the IRR of RA 9184.

## **F. Award of Contract**

### **31. Contract Award**

- 31.1. Subject to **ITB** Clause 29, the HoPE or its duly authorized representative shall award the contract to the Bidder whose bid has been determined to be the LCRB.
- 31.2. Prior to the expiration of the period of bid validity, the Procuring Entity shall notify the successful Bidder in writing that its bid has been accepted, through a Notice of Award duly received by the Bidder or its representative personally or sent by registered mail or electronically, receipt of which must be confirmed in writing within two (2) days by the Bidder with the LCRB and submitted personally or sent by registered mail or electronically to the Procuring Entity.
- 31.3. Notwithstanding the issuance of the Notice of Award, award of contract shall be subject to the following conditions:
- (a) Submission of the following documents within ten (10) calendar days from receipt of the Notice of Award:
    - (i) Valid JVA, if applicable; or
    - (ii) In the case of procurement by a Philippine Foreign Service Office or Post, the PhilGEPS Registration Number of the winning foreign Bidder;
  - (b) Posting of the performance security in accordance with **ITB** Clause 33;
  - (c) Signing of the contract as provided in **ITB** Clause 32; and
  - (d) Approval by higher authority, if required, as provided in Section 37.3 of the IRR of RA 9184.
- 31.4. At the time of contract award, the Procuring Entity shall not increase or decrease the quantity of goods originally specified in Section VI. Schedule of Requirements.

## **32. Signing of the Contract**

- 32.1. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Contract Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 32.2. Within ten (10) calendar days from receipt of the Notice of Award, the successful Bidder shall post the required performance security, sign and date the contract and return it to the Procuring Entity.
- 32.3. The Procuring Entity shall enter into contract with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 32.4. The following documents shall form part of the contract:

- (a) Contract Agreement;
- (b) Bidding Documents;
- (c) Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.*, bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
- (d) Performance Security;
- (e) Notice of Award of Contract; and
- (f) Other contract documents that may be required by existing laws and/or specified in the **BDS**.

### 33. Performance Security

- 33.1. To guarantee the faithful performance by the winning Bidder of its obligations under the contract, it shall post a performance security within a maximum period of ten (10) calendar days from the receipt of the Notice of Award from the Procuring Entity and in no case later than the signing of the contract.
- 33.2. The Performance Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity in an amount not less than the percentage of the total contract price in accordance with the following schedule:

| Form of Performance Security   | Amount of Performance Security<br>(Not less than the Percentage of the<br>Total Contract Price) |
|--|---|
| <p>(a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank.</p> <p><i>For biddings conducted by the LGUs, the Cashier's/Manager's Check may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i></p> | Five percent (5%)   |
| <p>(b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.</p>                                   |   |

|  |                      |
|--|----------------------|
| <i>For biddings conducted by the LGUs, the Bank Draft/ Guarantee or Irrevocable Letter of Credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument.</i> |                      |
| (c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.  | Thirty percent (30%) |

33.3. Failure of the successful Bidder to comply with the above-mentioned requirement shall constitute sufficient ground for the annulment of the award and forfeiture of the bid security, in which event the Procuring Entity shall have a fresh period to initiate and complete the post qualification of the second Lowest Calculated Bid. The procedure shall be repeated until the LCRB is identified and selected for recommendation of contract award. However if no Bidder passed post-qualification, the BAC shall declare the bidding a failure and conduct a re-bidding with re-advertisement, if necessary.

#### **34. Notice to Proceed**

Within seven (7) calendar days from the date of approval of the contract by the appropriate government approving authority, the Procuring Entity shall issue the Notice to Proceed (NTP) together with a copy or copies of the approved contract to the successful Bidder. All notices called for by the terms of the contract shall be effective only at the time of receipt thereof by the successful Bidder.

#### **35. Protest Mechanism**

Decisions of the procuring entity at any stage of the procurement process may be questioned in accordance with Section 55 of the IRR of RA 9184.

## Section III. Bid Data Sheet

# Bid Data Sheet

| ITB Clause |   |
|------------|---|
| 1.1        | <p>The Procuring Entity is Northern Mindanao Medical Center</p> <p>The name of the Contract is:<br/>PROCUREMENT OF VARIOUS HOSPITAL EQUIPMENT</p> <p>The identification number of the Contract is ITB No. 2020-04-004.</p>  |
| 1.2        | The lot(s) 2020-04-004.   |
| 2          | <p>The Funding Source is:</p> <p>The Government of the Philippines (GOP) through the General Appropriations Act 2020 in the amount of One Hundred Thirty Million Pesos (Php 130,000,000.00).</p> <p>The name of the Project is: PROCUREMENT OF VARIOUS HOSPITAL EQUIPMENT</p>   |
| 3.1        | No further instructions.  |
| 5.1        | No further instructions.  |
| 5.2        | No further instructions.  |
| 5.4        | <p><i>Maintain the ITB Clause and insert any of the following:</i></p> <p><i>For the procurement of Non-expendable Supplies and Services:</i> The Bidder must have completed, within the period specified in the Invitation to Bid and <b>ITB</b> Clause 12.1(a)(ii), a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.</p> <p><i>Or</i></p> <p><i>For the procurement of Expendable Supplies:</i> The Bidder must have completed, within the period specified in the Invitation to Bid and <b>ITB</b> Clause 12.1(a)(ii), a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.</p> <p><i>Or</i></p> <p><i>For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of the provisions of Section 23.4.1.3 of the IRR of RA 9184 will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding:</i> In view of the determination by the Procuring Entity that imposition of the provisions of Section 23.4.1.3 of the IRR of RA 9184 will likely result to [State “failure of bidding” or “monopoly that will defeat the purpose of public bidding”], the Bidder should comply with the following requirements:</p> |

|                 |  |
|-----------------|--|
|                 | <p>a) Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least <i>[State “fifty percent (50%)” in the case of Non-expendable Supplies and Services or “twenty-five percent (25%)” in the case of Expendable Supplies]</i> of the ABC for this Project; and</p> <p>b) The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.</p> <p>For this purpose, similar contracts shall refer to <i>[insert description of similar contracts or state “No further instructions”]</i>.</p> |
| 7               | No further instructions.   |
| 8.1             | “Subcontracting is not allowed.”   |
| 8.2             | “Not applicable”.  |
| 9.1             | <p>The Procuring Entity will hold a Pre-bid conference for this Project on:<br/> <b>August 20, 2020 - 2:00 pm</b></p> <p>NMMC Function Hall<br/> 2<sup>nd</sup> Floor Engineering Building<br/> Capitol Compound, Cagayan de Oro City</p>  |
| 10.1            | <p>The Procuring Entity’s address is:</p> <p>JOSE C. CHAN, MD<br/> Medical Center Chief II<br/> Capitol Compound<br/> Cagayan de Oro City<br/> Tel. No. (08822) 723735<br/> Fax no. (088) 856 5490<br/> Email address: nmmc_cdo@yahoo.com</p>  |
| 12.1(a)         | Valid and current Certificate of PhilGEPS Registration and Membership (PLATINUM Membership) in accordance with Section 8.5.2 of the 2016 Revised IRR.  |
| 12.1<br>(a)(ii) | The bidder’s SLCC similar to the contract to be bid should have been completed within <i>[state relevant period as provided in the Invitation to Bid]</i> prior to the deadline for the submission and receipt of bids.  |
|                 | <p><b>Additional requirements for Eligibility Documents:</b></p> <ol style="list-style-type: none"> <li>1) After-sales service/ parts (availability for at least ten (10) years)</li> <li>2) Warranty Certificate to include preventive maintenance (minimum of two (2) years)</li> <li>3) Brochure</li> </ol>   |
| 13.1            | “No additional requirements.”  |

|              |  |
|--------------|--|
| 13.1(b)      | No further instructions.   |
| 13.1(c)      | "No additional requirements."  |
| 13.2         | The ABC is One Hundred Thirty Million Pesos (PhP 130,000,000.00). Any bid with a financial component exceeding this amount shall not be accepted.  |
| 15.4 (a)(iv) | "No incidental services are required."   |
| 15.4(b)      | "No incidental services are required."   |
| 16.1(b)      | <i>Select one, delete the other:</i><br><br>The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Pesos. |
| 16.3         | "Not applicable"   |
| 17.1         | Bids will be valid until December 30, 2020.  |

|      |   |
|------|---|
| 18.1 | The Bid Security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:<br><br>1. The amount of not less than [2% of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or<br><br>2. The amount of not less than [5% of ABC] if bid security is in Surety Bond. |
| 18.2 | The bid security shall be valid until December 30, 2020.  |
| 20.3 | Each Bidder shall submit one (1) original and two (2) copies of the first and second components of its bid.   |
| 21   | The address for submission of bids is:<br>Northern Mindanao Medical Center<br><br>NMMC Function Hall<br>2 <sup>nd</sup> Floor Engineering Building<br>Capitol Compound, Cagayan de Oro City<br><br>The deadline for submission of bids is <b>9:00 AM - September 1, 2020.</b>   |
| 24.1 | The place of bid opening is:<br><br>NMMC Function Hall<br>2 <sup>nd</sup> Floor Engineering Building<br>Capitol Compound, Cagayan de Oro City<br><br>The date and time of bid opening is <b>9:00 AM – September 1, 2020</b>   |
| 24.2 | No further instructions.  |
| 24.3 | No further instructions.  |
| 27.1 | No further instructions.  |



|          |   |
|----------|---|
| 28.3 (a) | <p><b>Partial bids are allowed.</b></p> <p>All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award.</p> <p>In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder.</p> |
| 28.4     | No further instructions.  |
| 29.2     | "No additional requirement."  |
| 32.4(f)  | "No additional requirement."  |

## **Section IV. General Conditions of Contract**

## TABLE OF CONTENTS

|     |  |    |
|-----|--|----|
| 1.  | DEFINITIONS.....   | 45 |
| 2.  | CORRUPT, FRAUDULENT, COLLUSIVE, AND COERCIVE PRACTICES ..... | 46 |
| 3.  | INSPECTION AND AUDIT BY THE FUNDING SOURCE .....             | 47 |
| 4.  | GOVERNING LAW AND LANGUAGE.....                              | 47 |
| 5.  | NOTICES .....  | 47 |
| 6.  | SCOPE OF CONTRACT .....                                      | 48 |
| 7.  | SUBCONTRACTING.....  | 48 |
| 8.  | PROCURING ENTITY’S RESPONSIBILITIES .....                    | 48 |
| 9.  | PRICES.....  | 48 |
| 10. | PAYMENT.....   | 49 |
| 11. | ADVANCE PAYMENT AND TERMS OF PAYMENT.....                    | 49 |
| 12. | TAXES AND DUTIES.....  | 50 |
| 13. | PERFORMANCE SECURITY .....                                   | 50 |
| 14. | USE OF CONTRACT DOCUMENTS AND INFORMATION.....               | 51 |
| 15. | STANDARDS .....  | 51 |
| 16. | INSPECTION AND TESTS.....                                    | 51 |
| 17. | WARRANTY .....   | 52 |
| 18. | DELAYS IN THE SUPPLIER’S PERFORMANCE .....                   | 53 |
| 19. | LIQUIDATED DAMAGES .....                                     | 53 |
| 20. | SETTLEMENT OF DISPUTES.....                                  | 53 |
| 21. | LIABILITY OF THE SUPPLIER .....                              | 54 |
| 22. | FORCE MAJEURE.....   | 54 |
| 23. | TERMINATION FOR DEFAULT .....                                | 54 |
| 24. | TERMINATION FOR INSOLVENCY.....                              | 55 |
| 25. | TERMINATION FOR CONVENIENCE .....                            | 55 |
| 26. | TERMINATION FOR UNLAWFUL ACTS .....                          | 56 |
| 27. | PROCEDURES FOR TERMINATION OF CONTRACTS .....                | 56 |
| 28. | ASSIGNMENT OF RIGHTS .....                                   | 57 |

|                                     |           |
|-------------------------------------|-----------|
| <b>29. CONTRACT AMENDMENT .....</b> | <b>58</b> |
| <b>30. APPLICATION.....</b>         | <b>58</b> |

## 1. Definitions

1.1. In this Contract, the following terms shall be interpreted as indicated:

- (a) “The Contract” means the agreement entered into between the Procuring Entity and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) “The Contract Price” means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
- (c) “The Goods” means all of the supplies, equipment, machinery, spare parts, other materials and/or general support services which the Supplier is required to provide to the Procuring Entity under the Contract.
- (d) “The Services” means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.
- (e) “GCC” means the General Conditions of Contract contained in this Section.
- (f) “SCC” means the Special Conditions of Contract.
- (g) “The Procuring Entity” means the organization purchasing the Goods, as named in the **SCC**.
- (h) “The Procuring Entity’s country” is the Philippines.
- (i) “The Supplier” means the individual contractor, manufacturer distributor, or firm supplying/manufacturing the Goods and Services under this Contract and named in the **SCC**.
- (j) The “Funding Source” means the organization named in the **SCC**.
- (k) “The Project Site,” where applicable, means the place or places named in the **SCC**.
- (l) “Day” means calendar day.
- (m) The “Effective Date” of the contract will be the date of signing the contract, however the Supplier shall commence performance of its obligations only upon receipt of the Notice to Proceed and copy of the approved contract.

- (n) “Verified Report” refers to the report submitted by the Implementing Unit to the HoPE setting forth its findings as to the existence of grounds or causes for termination and explicitly stating its recommendation for the issuance of a Notice to Terminate.

## **2. Corrupt, Fraudulent, Collusive, and Coercive Practices**

2.1. Unless otherwise provided in the SCC, the Procuring Entity as well as the bidders, contractors, or suppliers shall observe the highest standard of ethics during the procurement and execution of this Contract. In pursuance of this policy, the Procuring Entity:

- (a) defines, for the purposes of this provision, the terms set forth below as follows:
  - (i) "corrupt practice" means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and it includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the Government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in Republic Act 3019.
  - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, non-competitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
  - (iii) “collusive practices” means a scheme or arrangement between two or more Bidders, with or without the knowledge of the Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.
  - (iv) “coercive practices” means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;
  - (v) “obstructive practice” is
    - (aa) deliberately destroying, falsifying, altering or concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an

administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the administrative proceedings or investigation or from pursuing such proceedings or investigation; or

- (bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.

- (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.

- 2.2. Further the Funding Source, Borrower or Procuring Entity, as appropriate, will seek to impose the maximum civil, administrative and/or criminal penalties available under the applicable law on individuals and organizations deemed to be involved with any of the practices mentioned in **GCC** Clause 2.1(a).

### **3. Inspection and Audit by the Funding Source**

The Supplier shall permit the Funding Source to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the Funding Source, if so required by the Funding Source.

### **4. Governing Law and Language**

- 4.1. This Contract shall be interpreted in accordance with the laws of the Republic of the Philippines.
- 4.2. This Contract has been executed in the English language, which shall be the binding and controlling language for all matters relating to the meaning or interpretation of this Contract. All correspondence and other documents pertaining to this Contract exchanged by the parties shall be written in English.

### **5. Notices**

- 5.1. Any notice, request, or consent required or permitted to be given or made pursuant to this Contract shall be in writing. Any such notice, request, or consent shall be deemed to have been given or made when received by the concerned party, either in person or through an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail, telex, telegram, or facsimile to such Party at the address specified in the

**SCC**, which shall be effective when delivered and duly received or on the notice's effective date, whichever is later.

- 5.2. A Party may change its address for notice hereunder by giving the other Party notice of such change pursuant to the provisions listed in the **SCC** for **GCC** Clause 5.1.

## **6. Scope of Contract**

- 6.1. The Goods and Related Services to be provided shall be as specified in Section VI. Schedule of Requirements. This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. Any additional requirements for the completion of this Contract shall be provided in the **SCC**.

## **7. Subcontracting**

- 7.1. Subcontracting of any portion of the Goods, if allowed in the **BDS**, does not relieve the Supplier of any liability or obligation under this Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants or workmen.
- 7.2. If subcontracting is allowed, the Supplier may identify its subcontractor during contract implementation. Subcontractors disclosed and identified during the bidding may be changed during the implementation of this Contract. In either case, subcontractors must submit the documentary requirements under **ITB** Clause 12 and comply with the eligibility criteria specified in the **BDS**. In the event that any subcontractor is found by the Procuring Entity to be ineligible, the subcontracting of such portion of the Goods shall be disallowed.

## **8. Procuring Entity's Responsibilities**

- 8.1. Whenever the performance of the obligations in this Contract requires that the Supplier obtain permits, approvals, import, and other licenses from local public authorities, the Procuring Entity shall, if so needed by the Supplier, make its best effort to assist the Supplier in complying with such requirements in a timely and expeditious manner.
- 8.2. The Procuring Entity shall pay all costs involved in the performance of its responsibilities in accordance with **GCC** Clause 6.

## **9. Prices**

- 9.1. For the given scope of work in this Contract as awarded, all bid prices are considered fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances and upon prior approval of the GPPB in accordance with Section 61 of R.A. 9184 and its IRR or except as provided in this Clause.



- 9.2. Prices charged by the Supplier for Goods delivered and/or services performed under this Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any change in price resulting from a Change Order issued in accordance with **GCC** Clause 29.

## **10. Payment**

- 10.1. Payments shall be made only upon a certification by the HoPE to the effect that the Goods have been rendered or delivered in accordance with the terms of this Contract and have been duly inspected and accepted. Except with the prior approval of the President no payment shall be made for services not yet rendered or for supplies and materials not yet delivered under this Contract. Ten percent (10%) of the amount of each payment shall be retained by the Procuring Entity to cover the Supplier's warranty obligations under this Contract as described in **GCC** Clause 17.
- 10.2. The Supplier's request(s) for payment shall be made to the Procuring Entity in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and/or Services performed, and by documents submitted pursuant to the **SCC** provision for **GCC** Clause 6.1, and upon fulfillment of other obligations stipulated in this Contract.
- 10.3. Pursuant to **GCC** Clause 10.2, payments shall be made promptly by the Procuring Entity, but in no case later than sixty (60) days after submission of an invoice or claim by the Supplier. Payments shall be in accordance with the schedule stated in the **SCC**.
- 10.4. Unless otherwise provided in the **SCC**, the currency in which payment is made to the Supplier under this Contract shall be in Philippine Pesos.
- 10.5. Unless otherwise provided in the **SCC**, payments using Letter of Credit (LC), in accordance with the Guidelines issued by the GPPB, is allowed. For this purpose, the amount of provisional sum is indicated in the **SCC**. All charges for the opening of the LC and/or incidental expenses thereto shall be for the account of the Supplier.

## **11. Advance Payment and Terms of Payment**

- 11.1. Advance payment shall be made only after prior approval of the President, and shall not exceed fifteen percent (15%) of the Contract amount, unless otherwise directed by the President or in cases allowed under Annex "D" of RA 9184.
- 11.2. All progress payments shall first be charged against the advance payment until the latter has been fully exhausted.
- 11.3. For Goods supplied from abroad, unless otherwise indicated in the **SCC**, the terms of payment shall be as follows:
- (a) On Contract Signature: Fifteen Percent (15%) of the Contract Price shall be paid within sixty (60) days from signing of the Contract and upon submission of a claim and a bank guarantee for the equivalent

amount valid until the Goods are delivered and in the form provided in Section VIII. Bidding Forms.

- (b) On Delivery: Sixty-five percent (65%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the SCC provision on Delivery and Documents.
- (c) On Acceptance: The remaining twenty percent (20%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's authorized representative. In the event that no inspection or acceptance certificate is issued by the Procuring Entity's authorized representative within forty five (45) days of the date shown on the delivery receipt, the Supplier shall have the right to claim payment of the remaining twenty percent (20%) subject to the Procuring Entity's own verification of the reason(s) for the failure to issue documents (vii) and (viii) as described in the SCC provision on Delivery and Documents.

## **12. Taxes and Duties**

The Supplier, whether local or foreign, shall be entirely responsible for all the necessary taxes, stamp duties, license fees, and other such levies imposed for the completion of this Contract.

## **13. Performance Security**

- 13.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any the forms prescribed in the **ITB** Clause 33.2.
- 13.2. The performance security posted in favor of the Procuring Entity shall be forfeited in the event it is established that the winning bidder is in default in any of its obligations under the contract.
- 13.3. The performance security shall remain valid until issuance by the Procuring Entity of the Certificate of Final Acceptance.
- 13.4. The performance security may be released by the Procuring Entity and returned to the Supplier after the issuance of the Certificate of Final Acceptance subject to the following conditions:
  - (a) There are no pending claims against the Supplier or the surety company filed by the Procuring Entity;
  - (b) The Supplier has no pending claims for labor and materials filed against it; and

(c) Other terms specified in the SCC.

- 13.5. In case of a reduction of the contract value, the Procuring Entity shall allow a proportional reduction in the original performance security, provided that any such reduction is more than ten percent (10%) and that the aggregate of such reductions is not more than fifty percent (50%) of the original performance security.

## **14. Use of Contract Documents and Information**

- 14.1. The Supplier shall not, except for purposes of performing the obligations in this Contract, without the Procuring Entity's prior written consent, disclose this Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring Entity. Any such disclosure shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
- 14.2. Any document, other than this Contract itself, enumerated in **GCC** Clause 14.1 shall remain the property of the Procuring Entity and shall be returned (all copies) to the Procuring Entity on completion of the Supplier's performance under this Contract if so required by the Procuring Entity.

## **15. Standards**

The Goods provided under this Contract shall conform to the standards mentioned in the Section VII. Technical Specifications; and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods' country of origin. Such standards shall be the latest issued by the institution concerned.

## **16. Inspection and Tests**

- 16.1. The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring Entity. The SCC and Section VII. Technical Specifications shall specify what inspections and/or tests the Procuring Entity requires and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purpose
- 16.2. If applicable, the inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Entity. The Supplier shall provide the Procuring Entity with results of such inspections and tests.

- 16.3. The Procuring Entity or its designated representative shall be entitled to attend the tests and/or inspections referred to in this Clause provided that the Procuring Entity shall bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.
- 16.4. The Procuring Entity may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall repeat the test and/or inspection, at no cost to the Procuring Entity, upon giving a notice pursuant to **GCC** Clause 5.
- 16.5. The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Procuring Entity or its representative, shall release the Supplier from any warranties or other obligations under this Contract.

## **17. Warranty**

- 17.1. The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials, except when the technical specifications required by the Procuring Entity provides otherwise.
- 17.2. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.
- 17.3. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier for a minimum period specified in the **SCC**. The obligation for the warranty shall be covered by, at the Supplier's option, either retention money in an amount equivalent to at least one percent (1%) of every progress payment, or a special bank guarantee equivalent to at least one percent (1%) of the total Contract Price or other such amount if so specified in the **SCC**. The said amounts shall only be released after the lapse of the warranty period specified in the **SCC**; provided, however, that the Supplies delivered are free from patent and latent defects and all the conditions imposed under this Contract have been fully met.
- 17.4. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, within the period specified in the **SCC** and with all reasonable speed, repair or replace the defective Goods or parts thereof, without cost to the Procuring Entity.
- 17.5. If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in **GCC** Clause 17.4, the Procuring Entity may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Entity

may have against the Supplier under the Contract and under the applicable law.

## **18. Delays in the Supplier's Performance**

- 18.1. Delivery of the Goods and/or performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring Entity in Section VI. Schedule of Requirements.
- 18.2. If at any time during the performance of this Contract, the Supplier or its Subcontractor(s) should encounter conditions impeding timely delivery of the Goods and/or performance of Services, the Supplier shall promptly notify the Procuring Entity in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, and upon causes provided for under **GCC** Clause 22, the Procuring Entity shall evaluate the situation and may extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of Contract.
- 18.3. Except as provided under **GCC** Clause 22, a delay by the Supplier in the performance of its obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to **GCC** Clause 19, unless an extension of time is agreed upon pursuant to **GCC** Clause 29 without the application of liquidated damages.

## **19. Liquidated Damages**

Subject to **GCC** Clauses 18 and 22, if the Supplier fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in this Contract inclusive of duly granted time extensions if any, the Procuring Entity shall, without prejudice to its other remedies under this Contract and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. The maximum deduction shall be ten percent (10%) of the amount of contract. Once the maximum is reached, the Procuring Entity may rescind or terminate the Contract pursuant to **GCC** Clause 23, without prejudice to other courses of action and remedies open to it.

## **20. Settlement of Disputes**

- 20.1. If any dispute or difference of any kind whatsoever shall arise between the Procuring Entity and the Supplier in connection with or arising out of this Contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 20.2. If after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Procuring Entity or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.

- 20.3. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under this Contract.
- 20.4. In the case of a dispute between the Procuring Entity and the Supplier, the dispute shall be resolved in accordance with Republic Act 9285 (“R.A. 9285”), otherwise known as the “Alternative Dispute Resolution Act of 2004.”
- 20.5. Notwithstanding any reference to arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and the Procuring Entity shall pay the Supplier any monies due the Supplier.

## **21. Liability of the Supplier**

- 21.1. The Supplier’s liability under this Contract shall be as provided by the laws of the Republic of the Philippines, subject to additional provisions, if any, set forth in the SCC.
- 21.2. Except in cases of criminal negligence or willful misconduct, and in the case of infringement of patent rights, if applicable, the aggregate liability of the Supplier to the Procuring Entity shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

## **22. Force Majeure**

- 22.1. The Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that the Supplier’s delay in performance or other failure to perform its obligations under the Contract is the result of a *force majeure*.
- 22.2. For purposes of this Contract the terms “*force majeure*” and “fortuitous event” may be used interchangeably. In this regard, a fortuitous event or *force majeure* shall be interpreted to mean an event which the Supplier could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by the Supplier. Such events may include, but not limited to, acts of the Procuring Entity in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 22.3. If a *force majeure* situation arises, the Supplier shall promptly notify the Procuring Entity in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Entity in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the *force majeure*.

## **23. Termination for Default**

- 23.1. The Procuring Entity shall terminate this Contract for default when any of the following conditions attends its implementation:
- (a) Outside of *force majeure*, the Supplier fails to deliver or perform any or all of the Goods within the period(s) specified in the contract, or within any extension thereof granted by the Procuring Entity pursuant to a request made by the Supplier prior to the delay, and such failure amounts to at least ten percent (10%) of the contract price;
  - (b) As a result of *force majeure*, the Supplier is unable to deliver or perform any or all of the Goods, amounting to at least ten percent (10%) of the contract price, for a period of not less than sixty (60) calendar days after receipt of the notice from the Procuring Entity stating that the circumstance of force majeure is deemed to have ceased; or
  - (c) The Supplier fails to perform any other obligation under the Contract.
- 23.2. In the event the Procuring Entity terminates this Contract in whole or in part, for any of the reasons provided under **GCC** Clauses 23 to 26, the Procuring Entity may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Procuring Entity for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of this Contract to the extent not terminated.
- 23.3. In case the delay in the delivery of the Goods and/or performance of the Services exceeds a time duration equivalent to ten percent (10%) of the specified contract time plus any time extension duly granted to the Supplier, the Procuring Entity may terminate this Contract, forfeit the Supplier's performance security and award the same to a qualified Supplier.

## **24. Termination for Insolvency**

The Procuring Entity shall terminate this Contract if the Supplier is declared bankrupt or insolvent as determined with finality by a court of competent jurisdiction. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Procuring Entity and/or the Supplier.

## **25. Termination for Convenience**

- 25.1. The Procuring Entity may terminate this Contract, in whole or in part, at any time for its convenience. The HoPE may terminate a contract for the convenience of the Government if he has determined the existence of conditions that make Project Implementation economically, financially or technically impractical and/or unnecessary, such as, but not limited to, fortuitous event(s) or changes in law and national government policies.
- 25.2. The Goods that have been delivered and/or performed or are ready for delivery or performance within thirty (30) calendar days after the Supplier's receipt of

Notice to Terminate shall be accepted by the Procuring Entity at the contract terms and prices. For Goods not yet performed and/or ready for delivery, the Procuring Entity may elect:

- (a) to have any portion delivered and/or performed and paid at the contract terms and prices; and/or
- (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed and/or performed goods and for materials and parts previously procured by the Supplier.

25.3. If the Supplier suffers loss in its initial performance of the terminated contract, such as purchase of raw materials for goods specially manufactured for the Procuring Entity which cannot be sold in open market, it shall be allowed to recover partially from this Contract, on a *quantum meruit* basis. Before recovery may be made, the fact of loss must be established under oath by the Supplier to the satisfaction of the Procuring Entity before recovery may be made.

## **26. Termination for Unlawful Acts**

26.1. The Procuring Entity may terminate this Contract in case it is determined *prima facie* that the Supplier has engaged, before or during the implementation of this Contract, in unlawful deeds and behaviors relative to contract acquisition and implementation. Unlawful acts include, but are not limited to, the following:

- (a) Corrupt, fraudulent, and coercive practices as defined in **ITB** Clause 3.1(a);
- (b) Drawing up or using forged documents;
- (c) Using adulterated materials, means or methods, or engaging in production contrary to rules of science or the trade; and
- (d) Any other act analogous to the foregoing.

## **27. Procedures for Termination of Contracts**

27.1. The following provisions shall govern the procedures for termination of this Contract:

- (a) Upon receipt of a written report of acts or causes which may constitute ground(s) for termination as aforementioned, or upon its own initiative, the Implementing Unit shall, within a period of seven (7) calendar days, verify the existence of such ground(s) and cause the execution of a Verified Report, with all relevant evidence attached;
- (b) Upon recommendation by the Implementing Unit, the HoPE shall terminate this Contract only by a written notice to the Supplier conveying the termination of this Contract. The notice shall state:



- (i) that this Contract is being terminated for any of the ground(s) afore-mentioned, and a statement of the acts that constitute the ground(s) constituting the same;
  - (ii) the extent of termination, whether in whole or in part;
  - (iii) an instruction to the Supplier to show cause as to why this Contract should not be terminated; and
  - (iv) special instructions of the Procuring Entity, if any.
- (c) The Notice to Terminate shall be accompanied by a copy of the Verified Report;
  - (d) Within a period of seven (7) calendar days from receipt of the Notice of Termination, the Supplier shall submit to the HoPE a verified position paper stating why this Contract should not be terminated. If the Supplier fails to show cause after the lapse of the seven (7) day period, either by inaction or by default, the HoPE shall issue an order terminating this Contract;
  - (e) The Procuring Entity may, at any time before receipt of the Supplier's verified position paper described in item (d) above withdraw the Notice to Terminate if it is determined that certain items or works subject of the notice had been completed, delivered, or performed before the Supplier's receipt of the notice;
  - (f) Within a non-extendible period of ten (10) calendar days from receipt of the verified position paper, the HoPE shall decide whether or not to terminate this Contract. It shall serve a written notice to the Supplier of its decision and, unless otherwise provided, this Contract is deemed terminated from receipt of the Supplier of the notice of decision. The termination shall only be based on the ground(s) stated in the Notice to Terminate;
  - (g) The HoPE may create a Contract Termination Review Committee (CTRC) to assist him in the discharge of this function. All decisions recommended by the CTRC shall be subject to the approval of the HoPE; and
  - (h) The Supplier must serve a written notice to the Procuring Entity of its intention to terminate the contract at least thirty (30) calendar days before its intended termination. The Contract is deemed terminated if it is not resumed in thirty (30) calendar days after the receipt of such notice by the Procuring Entity.

## **28. Assignment of Rights**

The Supplier shall not assign his rights or obligations under this Contract, in whole or in part, except with the Procuring Entity's prior written consent.

## **29. Contract Amendment**

Subject to applicable laws, no variation in or modification of the terms of this Contract shall be made except by written amendment signed by the parties.

## **30. Application**

These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of this Contract.

## **Section V. Special Conditions of Contract**

### Special Conditions of Contract

| GCC Clause |  |
|------------|--|
| 1.1(g)     | The Procuring Entity is Northern Mindanao Medical Center.  |
| 1.1(i)     | The Supplier is <i>[to be inserted at the time of contract award]</i> .  |
| 1.1(j)     | <p>The Funding Source is</p> <p>The Government of the Philippines (GOP) through the General Appropriations Act 2020 in the amount of One Hundred Thirty Million Pesos (PhP 130,000,000.00).</p>  |
| 1.1(k)     | <p>The Project Site is</p> <p>Northern Mindanao Medical Center<br/>Capitol compound, Cagayan de Oro City</p> <p>“The Project sites are defined in Section VI. Schedule of Requirements”</p>  |
| 2.1        | No further instructions.   |
| 5.1        | <p>The Procuring Entity’s address for Notices is:</p> <p>JOSE C. CHAN, MD<br/>Medical Center Chief II<br/>(08822) 728829<br/>(08822) 721794</p> <p>The Supplier’s address for Notices is: <i>[Insert address including, name of contact, fax and telephone number]</i></p>   |
| 6.2        | <p><b>Delivery and Documents –</b></p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p><i>For Goods Supplied from Abroad, state “The delivery terms applicable to the Contract are DDP delivered [insert place of destination]. In accordance with INCOTERMS.”</i></p> <p><i>For Goods Supplied from Within the Philippines, state “The delivery terms applicable to this Contract are delivered [insert place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</i></p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are as follows:</p> |

|  |   |
|--|---|
|  | <p><i>For Goods supplied from within the Philippines:</i></p> <p>Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:</p> <ul style="list-style-type: none"> <li>(i) Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;</li> <li>(ii) Original and four copies delivery receipt/note, railway receipt, or truck receipt;</li> <li>(iii) Original Supplier's factory inspection report;</li> <li>(iv) Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;</li> <li>(v) Original and four copies of the certificate of origin (for imported Goods);</li> <li>(vi) Delivery receipt detailing number and description of items received signed by the authorized receiving personnel;</li> <li>(vii) Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and</li> <li>(viii) Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.</li> <li>(ix) Certification from the manufacturer that the item/s delivered to the distributor is brand new.</li> </ul> <p><i>For Goods supplied from abroad:</i></p> <p>Upon shipment, the Supplier shall notify the Procuring Entity and the insurance company by cable the full details of the shipment, including Contract Number, description of the Goods, quantity, vessel, bill of lading number and date, port of loading, date of shipment, port of discharge etc. Upon delivery to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents as applicable with the documentary requirements of any letter of credit issued taking precedence:</p> <ul style="list-style-type: none"> <li>(i) Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;</li> <li>(ii) Original and four copies of the negotiable, clean shipped on board bill of lading marked "freight pre-paid" and five copies of the non-negotiable bill of lading ;</li> <li>(iii) Original Supplier's factory inspection report;</li> <li>(iv) Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;</li> <li>(v) Original and four copies of the certificate of origin (for imported Goods);</li> <li>(vi) Delivery receipt detailing number and description of items received signed by the Procuring Entity's representative at the Project Site;</li> <li>(vii) Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and</li> <li>(viii) Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.</li> <li>(ix) Certification from the manufacturer that the item/s delivered to the distributor is brand new</li> </ul> |
|--|---|

|  |   |
|--|---|
|  | <p>For purposes of this Clause the Procuring Entity's Representative at the Project Site is <i>[insert name(s)]</i>.</p> <p><b>Incidental Services –</b></p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements.</p> <p><i>Select appropriate requirements and delete the rest.</i></p> <ul style="list-style-type: none"> <li>(a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>(b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>(c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>(d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>(e) training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> </ul> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p><b>Spare Parts –</b></p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <p><i>Select appropriate requirements and delete the rest.</i></p> <ul style="list-style-type: none"> <li>(a) such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>(b) in the event of termination of production of the spare parts: <ul style="list-style-type: none"> <li>i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and</li> <li>ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.</li> </ul> </li> </ul> <p>The spare parts required are listed in Section VI. Schedule of Requirements and the cost thereof are included in the Contract Price.</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods for a period of <i>[insert here the time period]</i></p> |
|--|---|

|  |  |
|--|--|
|  | <p><i>specified. If not used insert time period of three times the warranty period].</i></p> <p>Other spare parts and components shall be supplied as promptly as possible, but in any case within <i>[insert appropriate time period]</i> months of placing the order.</p> <p><b>Packaging –</b></p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity</p> <p>Name of the Supplier</p> <p>Contract Description</p> <p>Final Destination</p> <p>Gross weight</p> <p>Any special lifting instructions</p> <p>Any special handling instructions</p> <p>Any relevant HAZCHEM classifications</p> <p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p><b>Insurance –</b></p> <p>The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.</p> <p><b>Transportation –</b></p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> |
|--|--|

|         |  |
|---------|--|
|         | <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered <i>force majeure</i> in accordance with GCC Clause 22.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p><b>Patent Rights –</b></p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p> |
| 10.4    | "Not applicable"   |
| 10.5    | <p>State "Payment using LC is not allowed."</p> <p>or</p> <p>If payment using LC is allowed, state "The amount of provisional sum is _____ Pesos (Php _____)." [Note: The provisional sum shall not exceed 10% of the ABC, and shall form part of the ABC].</p>  |
| 11.3    | "Maintain the GCC Clause."   |
| 13.4(c) | "No further instructions".   |
| 16.1    | The inspections and tests that will be conducted are: <i>[Insert the applicable inspections and tests, if none, state "None"]</i> .  |
| 17.3    | <p>If the Goods pertain to Expendable Supplies: Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the Goods are consumed, whichever is earlier.</p> <p>If the Goods pertain to Non-expendable Supplies: One (1) year after acceptance by the Procuring Entity of the delivered Goods.</p>  |
| 17.4    | The period for correction of defects in the warranty period is <i>[insert number of days]</i> .  |
| 21.1    | "No additional provision." or, if the Supplier is a joint venture, "All partners to the joint venture shall be jointly and severally liable to the Procuring Entity."  |



## Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

| Item No. | Description  | Qty | Unit  | Delivered, Weeks/Months                                     |
|----------|--|-----|-------|---|
| 1        | Computed Tomography (CT) Scan Machine 128 Slice  | 1   | unit  | Sixty (60) Calendar Days upon receipt of Notice to Proceed. |
| 2        | Washer Disinfector Machine   | 1   | unit  | Sixty (60) Calendar Days upon receipt of Notice to Proceed. |
| 3        | Washing Station  | 1   | unit  | Sixty (60) Calendar Days upon receipt of Notice to Proceed. |
| 4        | Mortuary Equipment <ul style="list-style-type: none"> <li>• Autopsy Table</li> <li>• Dissecting Instruments Set</li> <li>• Oscillating Saw</li> <li>• Mortuary Freezer</li> <li>• Mortuary Refrigerator</li> </ul> | 1   | set   | Sixty (60) Calendar Days upon receipt of Notice to Proceed. |
| 5        | Neuroendoscopy   | 1   | set   | Sixty (60) Calendar Days upon receipt of Notice to Proceed. |
| 6        | Gastroscope  | 1   | unit  | Sixty (60) Calendar Days upon receipt of Notice to Proceed. |
| 7        | Colonoscope  | 1   | unit  | Sixty (60) Calendar Days upon receipt of Notice to Proceed. |
| 8        | Neurosurgical Instruments (Stainless Steel)  | 2   | sets  | Sixty (60) Calendar Days upon receipt of Notice to Proceed. |
| 9        | Operating Room Table   | 4   | units | Sixty (60) Calendar Days upon receipt of Notice to Proceed. |
| 10       | Hysteroscopy Tower   | 1   | set   | Sixty (60) Calendar Days upon receipt of Notice to Proceed. |
| 11       | Ultrasound Machine   | 1   | unit  | Sixty (60) Calendar Days upon receipt of Notice to Proceed. |

## Section VII. Technical Specifications

## Technical Specifications

| Item | Specification | Statement of Compliance  |
|------|---------------|--|
|      |               | <p>Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of <b>ITB</b> Clause 3.1(a)(ii) and/or <b>GCC</b> Clause 2.1(a)(ii).</p> |

## TECHNICAL SPECIFICATIONS

| Item No.                   | Complete Specifications of Item  | Qty      | Unit | Approved Budget for the Contract (ABC) | Brand | Statement of Compliance |
|----------------------------|--|----------|------|--|-------|-------------------------|
| <b>RADIOLOGY EQUIPMENT</b> |  |          |      |  |       |                         |
| <b>1</b>                   | <b>COMPUTED TOMOGRAPHY (CT) SCAN MACHINE 128 SLICE</b><br><br><b>System:</b> 128 Slice Computed Tomography<br><b>Applications:</b> General Radiology<br>Paediatric<br>Cardiovascular<br>Neurology<br>Perfusion/Functional study<br>Lung cancer screening<br>Emergency<br>Dual Energy<br>Fusion study<br><br><b>Gantry</b><br>Aperture: at least 70cm<br>Tilt range (degrees): at least $\pm 25$<br>Rotation Speed (360): 0.35 seconds maximum<br>Spatial Resolution: 0.28mm or lower<br>Distance focus to detectors: not more than 100 cm<br>Distance focus to scan plane: 55 cm or less<br>Scanning system: continuous rotation system<br>Scan Localizer: at least 3 planes (Inner and Outer)<br>Controls: Both Sides with display<br><br><b>Detector</b><br>Type: Solid State<br>Number of Rows: at least 64<br>Number of slice: at least 128<br>Total Number of Elements: at least 54,000<br>Recon slice with: at least 0.6mm x 64<br>Detector effective length: at least 40mm<br>Number of detector elements per row: at least 800 active elements + 20 reference elements<br><br><b>X-ray Tube</b><br>Tube Anode Type: Rotating<br>Anode Heat Capacity: at least 7 MHU<br>Heat Dissipation Rate: at least 1.0 MHU/minute<br>Tube Cooling Type: Oil/Air without chiller<br><br><b>X-ray Generator</b><br>X-Ray Generation: Continuous X-Rays, High Frequency Inverter<br>Power (kW): at least 70 kW<br>KV selection: at least 4 modes<br>Minimum Tube Voltage: minimum 80 kV or lower<br>Maximum Tube voltage: at least 140 kV or higher<br>mA selection available: at least 10 to 500mA | <b>1</b> | unit | Php 80,000,000.00                      |       |                         |

|  |   |  |  |  |  |  |
|--|---|--|--|--|--|--|
|  | <p><b>Spiral Scanning</b></p> <p>Maximum Scan Time: at least 120 seconds</p> <p>Spatial Resolution: at least 18lp/cm</p> <p>Pitch: 0.5 – 1.5</p> <p>Reconstruction Time per Image: at least 30ips</p> <p>Maximum coverage perfusion scan sequential:<br/>at least 80mm</p> <p>Maximum coverage perfusion scan sequential:<br/>at least 40mm</p> <p>Dynamic volume helical scanning (4D)</p> <p><b>Patient Table</b></p> <p>Horizontal range: 170 cm or higher</p> <p>Vertical Range: at least 45cm lowest level</p> <p>Horizontal scannable range: 150 cm or higher</p> <p>Horizontal speed: 175 mm/sec or faster</p> <p>Helical Pitch: at least 1.5 or higher</p> <p>Couch load capacity: at least 200 kg</p> <p><b>Image Reconstruction</b></p> <p>Scan Field of View: at least 50cm or higher</p> <p>Slice Collimation: at least 64 slice x 0.625mm</p> <p>Slice thickness: at least available 0.625, 1.25, 2.5, 3.75, 5, 7.5, 10</p> <p>Image reconstruction matrix: at least 512 x 512</p> <p>Image display matrix: at least 1024 x 1024</p> <p>Reconstruction time: at least 30 fps or faster</p> <p>Must have iterative reconstruction or equivalent technology</p> <p><b>Display</b></p> <p>Console type: All-in-one console capable of scan and acquisition</p> <p>Display Monitor: Dual with at least 24 inch each</p> <p>Dual Display Monitor: at least 3 Mega pixel medical grade each</p> <p><b>Control Console and Computer System</b></p> <p>Hertz / word size: at least six core, 2.5GHz</p> <p>Compatible operating system</p> <p>RAM: 32GB or higher</p> <p>Total disk storage: at least 2TB separate storage for system/application, image and raw/scan data</p> <p>Image and Application Storage: capable of at least 450,000 512x512 images</p> <p>Additional Storage: DVD-RAM (scan data) 9.4 GB total (4.7 GB per side) DVD-R/CD-R (DICOM interchange) 4.7 GB capacity at least 7,160 images</p> <p>HIS, RIS Interface Worklist, DICOM Compatible and integrated to the hospital system</p> <p>DICOM Viewer: Support for external DICOM USB media and preference management tool to exchange preferences across users</p> <p><b>Additional Workstation</b></p> <p>Hardware type/Processor: at least Eight Core, minimum 3.0 GHz</p> <p>RAM: 32GB or higher can be upgraded to 64GB, with</p> |  |  |  |  |  |
|--|---|--|--|--|--|--|

|  |   |  |  |  |  |  |
|--|---|--|--|--|--|--|
|  | <p>minimum 2,000 MHz<br/> Graphics Card: at least 1024 MB<br/> OS and Applications: at least one (1) 256 GB SSD<br/> Image storage: at least two (2) 512GB SSD in RAID configuration for image protection and redundancy<br/> Archival Storage: Internal DVD Writer drive for read/write of DICOM CD/DVD media, read/write of Data Export CD/DVD data and service use (DVD Install)<br/> Display Monitor: dual or single configuration, minimum 24" LCD</p> <p><b>Required Features</b></p> <p><b>DOSE MANAGEMENT</b><br/> Must adhere to ALARA Principle or Dose reduction technique<br/> Dose display: must be available<br/> Dose modulation technique: must be available<br/> ECG dose modulation: must be available<br/> Pediatric-specific dose control: must be available<br/> Filters: must be available</p> <p><b>Scanning Operation System</b><br/> Patient Registration &amp; Administration System<br/> Scan Planning System<br/> Image Acquisition and Reconstruction Systems<br/> PACS/HIS/RIS Connection Management<br/> Bolu/Contrast Tracking System<br/> ECG gated system<br/> Filming and Archiving<br/> Image Review and Edit for 2D and 3D<br/> Multi-planar Image system<br/> Dual Energy scanning</p> <p><b>APPLICATIONS</b><br/> <b>Advanced reconstruction techniques</b><br/> Helical Image reconstruction algorithm and approach: must be available<br/> Axial/ sequential Image reconstruction algorithm and approach: must be available</p> <p><b>Software Applications On console (Full version software)</b><br/> Metal Artifact reduction Software<br/> Adaptive scanning for moderate/high heart rates and irregular rhythm or equivalent<br/> Coronary Motion Correction Algorithm<br/> Prospective ECG gated scan<br/> Virtual Colonoscopy and Bronchoscopy<br/> Bone Removal/Subtraction software<br/> CT Perfusion whole Body/organ<br/> Brain Perfusion analysis<br/> Panoramic Dental Viewing Software<br/> Advance Cardiac, coronary and vascular application software<br/> Retrospective image reconstruction<br/> 3D applications SSD,VRD, MIP<br/> Urology Software<br/> Bone Analysis Software<br/> Spectral analysis application<br/> Image Fusion application</p> |  |  |  |  |  |
|--|---|--|--|--|--|--|

|  |   |  |  |  |  |
|--|---|--|--|--|--|
|  | <p><b>Advanced Software Applications on workstation (Full version software)</b></p> <ul style="list-style-type: none"> <li>All Application software on Console</li> <li>Advanced Vessel Analysis</li> <li>Thoracic and Lung Nodule Analysis</li> <li>Calcium Scoring</li> <li>Cardiac Plaque Assessment</li> <li>Advance Cardiac capabilities</li> <li>Comprehensive Cardiac Function Analysis</li> <li>Myocardial Defect Assessment</li> <li>TAVI / TAVR Planning software</li> <li>Advance Oncology Software</li> <li>Hepatic Liver Analysis/Segmentation Software</li> <li>Stroke Management / Application Software</li> <li>Image Fusion</li> <li>Spectral Analysis application</li> <li>Image Fusion application</li> <li>Computer Aided Detection software</li> <li>Advance Lung Evaluation software</li> </ul> <p><b>Others Requirements</b></p> <ul style="list-style-type: none"> <li>Set of Patient Restraints</li> <li>Patient Positioning Tools</li> <li>Gated system accessories including patient monitors</li> <li>Water phantom for calibration and testing</li> <li>TVSS (Transient Voltage Surge Suppressor)</li> <li>Contrast Injector-dual barrel (synchronous system with the machine, with remote control panel at the console and with IV contrast injection safety feature)</li> <li>HEPA filter for patient examination room area</li> <li>UPS for the whole CT scan system (Gantry, console and workstation)</li> <li>Transformer sufficient for CT machine</li> <li>DICOM Dry film/paper printer 14 x 17 film size with table</li> <li>Network Port</li> <li>Power distribution Panel</li> <li>Console Table and Chair (4)</li> <li>Lead Glass at least 120cm x 80cm</li> <li>Radiation Accessories - 2 sets (Lead Gown, Gonadal Shield, Thyroid Shield, Hand Gloves, Eye Goggle)</li> <li>Stainless IV stand- 2 sets</li> <li>Dehumidifier- 2 sets</li> <li>Customize Table (1- console room, 1- information room)</li> <li>Customize Metal Locker cabinet (1- console room, 1- patient examination room, 1- information)</li> <li>Computer table for ct-scan console and 4- computer chairs.</li> <li>Emergency Light rechargeable- 3 pcs</li> <li>Stainless Procedure table with four wheels- 1 pc</li> <li>Thermal Blanket- 10 pcs</li> <li>Linen white- 20 pieces</li> <li>Planning services; includes layout and drawing of plans for the installation site, Room Preparations, and other civil works for the completion of site is included.</li> <li>Moving-in services of the system components, including rentals of heavy equipment from a professional moving company should be included.</li> <li>Transfer and installation of existing ct scan machine should be included.</li> <li>Electric &amp; Mechanical works and materials should be provided.</li> <li>Complete air-conditioning system inverter type (2- split type 2.5HP)</li> </ul> |  |  |  |  |
|--|---|--|--|--|--|

|  |   |  |  |  |  |  |
|--|---|--|--|--|--|--|
|  | <p>(2) Sets of operation manual.</p> <p>(2) Sets of preventive maintenance manual.</p> <p>The unit must be FDA approved</p> <p>The unit must have no record of recall in the market.</p> <p><b>Warranty and Application Training:</b></p> <ul style="list-style-type: none"> <li>• The equipment must be functioning with no physical defects/damages. A Performance Evaluation must be conducted by the Center for Device Regulation Radiation Health and Research, Food and Drug Administration.</li> <li>• Warranty period: Three (3) years for parts and services. Ten (10) years availability of parts. Warranty period shall commence from the date of acceptance by the end-user after testing and commissioning.</li> <li>• Undertaking that during the warranty period, the supplier shall respond/onsite to end-user notification within (2) two working days for corrective maintenance.</li> <li>• The supplier must submit comprehensive preventive maintenance schedule during the warranty period.</li> <li>• The supplier must specify post warranty comprehensive preventive maintenance costs including list and prices of major spare parts for the next three (3) years after warranty.</li> <li>• Training</li> </ul> <p><b>For bio-medical and IT personnel:</b></p> <ul style="list-style-type: none"> <li>- On-site training and orientation upon installation for (2).</li> <li>- On-site training every quarterly visit within the warranty period for (2).</li> </ul> <p><b>For Radiology staff: (Radiologic Technologist)</b></p> <ul style="list-style-type: none"> <li>- At least (1) month off-site training for (2) at the institution with the same CT scan specification upon receiving the certificate of award/purchase order. All expenses will be shouldered by the supplier.</li> <li>- At least (15) days application/operational training on-site after completion of the installation by the company specialist.</li> <li>- At least (1) week follow-up application/operational training on-site after 2 months from the time of on first on-site training by the company specialist.</li> </ul> <p><b>For Radiology staff: (Radiologist)</b></p> <ul style="list-style-type: none"> <li>- At least (1) month training for (3) at the hospital of choice. All expenses will be shouldered by the supplier.</li> </ul> |  |  |  |  |  |
|--|---|--|--|--|--|--|



| Item No.                                       | Complete Specifications of Item   | Qty      | Unit | Approved Budget for the Contract (ABC) | Brand | Statement of Compliance |
|--|---|----------|------|--|-------|-------------------------|
| <b>CENTRAL SUPPLY &amp; STERILIZATION UNIT</b> |   |          |      |  |       |                         |
| <b>2</b>                                       | <b>WASHER DISINFECTOR MACHINE</b> <ul style="list-style-type: none"> <li>• Double door washer-disinfector with electrical heating, designed for medical centers' instruments and glassware washing.</li> <li>• It incorporates washing, thermal-disinfection cycle and drying in a single process.</li> <li>• External dimensions = 662 x 787 x 1995 mm (width x depth x high)</li> <li>• Chamber dimensions = 550x 622 x 591 h mm</li> <li>• Capacity in DIN baskets = 12DIN 1/1</li> <li>• Standard Voltage = III 400Vac+N - 60Hz</li> <li>• According to EN ISO 15883-1/-2. CE mark CE0543.</li> <li>• Volume: 260 Liters</li> <li>• Totally made of stainless steel, with chamber, washing arms and filters in AISI316L quality.</li> <li>• Automatic sliding down door, with high resistance tempered glass (HST).</li> <li>• Equipped with 2 microprocessors.</li> <li>• Up to +40 programs with availability of total cycles and phases configuration for customer applications.</li> <li>• 7 inches high-res touch screen with Easy RUN user interface</li> <li>• Equipped with 2 chemical pumps as standard.</li> <li>• Accurate dosing control by flow meters.</li> <li>• Built-in hot forced air drying unit.</li> <li>• Drying unit equipped with HEPAH14 filter for hot forced drying air.</li> <li>• New connection system of washing and drying circuit with loading accessories directly inside the chamber, assuring the disinfection of all the elements through washing arms and nozzles.</li> <li>• Double LED lightning inside the chamber.</li> <li>• Main switch and emergency stop in front panel.</li> <li>• Reduced water consumption per cycle.</li> <li>• Reduced electrical consumption per cycle.</li> <li>• Dedicated space in the machine for up to 4 chemical canisters</li> </ul> | <b>1</b> | unit | Php 6,000,000.00                       |       |                         |

| Item No. | Complete Specifications of Item  | Qty | Unit | Approved Budget for the Contract (ABC) | Brand | Statement of Compliance |
|----------|--|-----|------|--|-------|-------------------------|
| 3        | <b>WASHING STATION</b> <ul style="list-style-type: none"> <li>Made of AISI-304 stainless steel.</li> <li>Supplied with 2 centered washing sinks.</li> <li>Station dimensions: 2400 x 700 x 900 mm (length x width x height of the station/total height)</li> <li>Sink dimensions: 600 x 450 x 300 mm. (length x width x depth)</li> <li>For the left sink: <ul style="list-style-type: none"> <li>Full splash screen with electric lifting</li> </ul> </li> <li>Common <ul style="list-style-type: none"> <li>Ledge collect water around the perimeter of the station</li> <li>Upper rear edge</li> <li>4 folding doors</li> <li>Interior shelf and legs with adjustable terminal in height</li> <li>High shelf for soaps and detergents</li> <li>Shower tap</li> <li>Drain valve, siphon and locking keys</li> <li>Water pressure gun</li> <li>Air pressure gun</li> <li>Detergent dosing pump</li> </ul> </li> <li>For the right sink: <ul style="list-style-type: none"> <li>Single lever tap with removable shower</li> <li>Drain valve, siphon and locking keys</li> <li>Accessory for brushes support</li> </ul> </li> </ul> | 1   | unit | Php 2,000,000.00                       |       |                         |

| Item No.                  | Complete Specifications of Item   | Qty      | Unit       | Approved Budget for the Contract (ABC) | Brand | Statement of Compliance |
|---------------------------|---|----------|------------|--|-------|-------------------------|
| <b>MORTUARY EQUIPMENT</b> |   |          |            |  |       |                         |
| <b>4</b>                  | <b>MORTUARY EQUIPMENT</b> <p><b>Autopsy Table</b></p> <ul style="list-style-type: none"> <li>• Table top made of stainless steel AISI 3 1 6 and divided into two zones.</li> <li>• Working area with perimeter edge and irrigators for washing up.</li> <li>• Washing area with sink with mixer tap hot/cold and removable shower.</li> <li>• Draining valve equipped with one 0.5 HP grinder.</li> <li>• Hydro aspirator with reversing flow valve. Lower are: base pedestal type with square column 700 x 700mm, made of stainless steel.</li> <li>• Electrical switchboard with magnetic/thermal switch and service power socket 16A.</li> <li>• Dimensions: 2700 x 800 x 900mm (length x width x height)</li> </ul> <p><b>Dissecting Set</b></p> <ul style="list-style-type: none"> <li>• Case with set of dissection instruments, including: <ul style="list-style-type: none"> <li>- 1 piece Anatomic chisel</li> <li>- 3 pairs Dissecting scissors</li> <li>- 1 piece Cartilage blade</li> <li>- 1 pair Straight head scissors, 13cm</li> <li>- 1 piece Anatomic forceps, 13cm</li> <li>- 1 piece Saw</li> <li>- 1 piece Metal hammer</li> <li>- 1 piece Osteotome</li> <li>- 2 pieces Muscle hooks</li> <li>- 2 pieces tubule instruments</li> <li>- 2 pieces Probes</li> <li>- 3 pieces Needles</li> </ul> </li> </ul> <p><b>Oscillating Saw</b></p> <ul style="list-style-type: none"> <li>- Electric post mortem saw.</li> <li>- The oscillating movement of the blade means that it can cut soft tissue and bone parts quickly, without damaging the tissues and above all without scattering debris.</li> <li>- The head (gear) can be sterilized in an autoclave</li> </ul> <p>Parts Supplied:</p> <ul style="list-style-type: none"> <li>- No. 1 blades: 50mm, 65mm;</li> <li>- No. 1 segment blade 65;</li> <li>- No. 2 fixed-jaw spanners (11);</li> <li>- No. 1 grease tube</li> <li>- Power supply: 220/240V Û 50/60 Hz</li> <li>- Input: 180 Watt Û 0.8 A</li> <li>- Oscillation speed: 12,000-2,000/minute</li> <li>- Conformity: CE- DIN EN 60601Û1, 2</li> <li>- Safety class: 2a - type BF</li> </ul> | <b>1</b> | <b>Set</b> | <b>Php 6,600,000.00</b>                |       |                         |

|  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|
|  | <p><b>Mortuary Freezer</b></p> <ul style="list-style-type: none"> <li>• Mortuary freezing unit for conserving 2 bodies, two doors end opening design.</li> <li>• Modular panel system assembled over stainless steel AISI304 pedestal. Front side and doors made in Stainless steels.</li> <li>• Overlapping doors are equipped with easy opening automatic fasteners. Conveyor tray system is designed so that the body tray rolls in/out of the cooler using a conveyor roller mechanism, only the body tray moves in and out of the refrigerator.</li> <li>• The body trays are designed with a 30° leading edge that tappers into a 30mm deep pan to help contain fluids and secure the body from slipping off during transporting.</li> <li>• Easily grasped handles are provided on each end of the body tray. Monoblock cooling system consists of: compressor, condenser, collector, manometer, terminal box, pressure valve and suction valve.</li> <li>• Power supply: 240V, 60 Hz</li> </ul> <p><b>Mortuary Refrigerator</b></p> <p>Refrigerator Chamber</p> <ul style="list-style-type: none"> <li>• External dimensions (without cooling unit) <ul style="list-style-type: none"> <li>- 880mm (wide) x 2500mm (depth) x 1505 mm (height)</li> </ul> </li> <li>• External dimensions (with cooling unit) <ul style="list-style-type: none"> <li>- 880mm (wide) x 2500mm (depth) x 1862 mm (height)</li> </ul> </li> <li>• External dimensions (with split cooling unit) <ul style="list-style-type: none"> <li>- 8800mm (wide) x 2500mm (depth) x 1705 mm (height)</li> </ul> </li> <li>• Number of bodies: 2</li> <li>• Number of doors: 2</li> <li>• Doorway dimensions - 670 (wide) x 455 (height) mm</li> </ul> <p>Panel System</p> <ul style="list-style-type: none"> <li>• Thickness: 70 mm</li> <li>• Working range: -5°C/+10°C</li> <li>• Thermal conduction K: 0,3 kcal/m<sup>2</sup>h°C</li> <li>• Thermal conduction λ: 0,021 kcal/mh°C.</li> <li>• Insulating material: High pressure injected polyurethane foam with a density of 42-44 kg/m<sup>3</sup></li> <li>• External covering for ceiling, wall and floor insulating panels: 0,8 mm steel sheets. Continuous galvanization by immersion in a bath of liquefied zinc with a coating of 25 microns. Pre lacquering by a 5 microns layer of epoxy resins (corrosion inhibitor). 20 to 25 microns dry lacquer layer.</li> <li>• External covering for front insulating panel and insulating doors: Stainless steel AISI 304 18/8</li> </ul> <p>Storage System</p> <ul style="list-style-type: none"> <li>• Rack: Formed by 1 column. Each column supports 2 trays. It includes the rolling conveyor system for sliding the trays in and out.</li> </ul> |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|

|  |   |  |  |  |  |  |
|--|---|--|--|--|--|--|
|  | <ul style="list-style-type: none"> <li>• Body trays dimension: 2150 mm (length) x 600 mm (wide)</li> <li>• Material: Stainless steel AISI 304</li> </ul> <p>Cooling System</p> <ul style="list-style-type: none"> <li>• Nominal el. Power: 0,43 kW</li> <li>• Refrigerant: R404A</li> <li>• Voltage supply: 110-230 V +/-10%</li> <li>• Frequency: 50Hz/60Hz</li> <li>• Max absorbed current in ampere: 4,3 A</li> <li>• Max absorbed power in kW: 0,7 kW*</li> <li>• Air flow cond.: 750m<sup>3</sup>/h</li> <li>• Air flow evap.: 550m<sup>3</sup>/h</li> </ul> <p>Applicable laws and standards</p> <ul style="list-style-type: none"> <li>• 2006/42/EU: Machinery</li> <li>• 2014/35/EU: Low voltage</li> <li>• 201430/EU: Electromagnetic compatibility</li> </ul> |  |  |  |  |  |
|--|---|--|--|--|--|--|

| Item No.                 | Complete Specifications of Item   | Qty      | Unit | Approved Budget for the Contract (ABC) | Brand | Statement of Compliance |
|--------------------------|---|----------|------|--|-------|-------------------------|
| <b>SURGERY EQUIPMENT</b> |   |          |      |  |       |                         |
| <b>5</b>                 | <b>NEUROENDOSCOPY</b><br><br>ENDOSCOPIC PITUITARY SKULL BASE <ul style="list-style-type: none"> <li>• Straight Forward Telescope 0°, enlarged view, diameter 4 mm, length 18 cm, autoclavable, fiber optic light transmission incorporated – 1 pc</li> <li>• Suction and Irrigation Sheath 0°, outer diameter 4.8 x 6 mm, working length 14 cm – 1 pc</li> <li>• Forward-Oblique Telescope 30°, enlarged view, diameter 4 mm, length 18 cm, autoclavable, fiber optic light transmission incorporated, color code: red – 1 pc</li> <li>• Suction and Irrigation Sheath 30°, outer diameter 4.8 x 6 mm, working length 14 cm – 1 pc</li> <li>• Straight Forward Telescope 0°, enlarged view, diameter 4 mm, length 30 cm, autoclavable, fiber optic light transmission incorporated – 1 pc</li> <li>• Irrigation Sheath, O.D.5,0mm, working length 24cm – 1 pc</li> <li>• Holding System, autoclavable, with quick release coupling consisting of: Rotation Socket, to clamp to the OR table, for European and US standard rails, with lateral clamp for height and angle adjustment of the articulated stand Articulated Stand, reinforced version, L-shaped, with one central clamp for all five joint functions, height 48 cm, swivel range 52 cm, with quick release coupling (female) Clamping Jaw, metal, with axial intake, clamping range 4.8 up to 12.5 mm, with quick release coupling (male), for use with instrument and telescope sheaths – 1 pc</li> <li>• Forward-Oblique Telescope 45°, diameter 4 mm, length 18 cm, autoclavable, fiber optic light transmission incorporated – 1 pc</li> <li>• Suction and Irrigation Sheath 45°, outer diameter 4.8 x 6 mm, working length 14 cm, for use with – 1 pc</li> <li>• Suction Elevator, with stylet, length 19 cm – 1 pc</li> <li>• Antrum Curette, oblong, small size, length 19 cm – 1 pc</li> <li>• Sickle Knife, slightly curved, pointed, length 18 cm – 1 pc</li> <li>• Antrum Punch, upside backward cutting, with cleaning connector, working length 10 cm – 1 pc</li> <li>• Nasal Scissors, straight, small model, length of cut 10 mm, with cleaning connector, working length 13 cm – 1 pc</li> <li>• Nasal Forceps, 45° upturned, through-cutting, extra delicate, tissue-sparing, 8 x 3 mm, size 1, with cleaning connector, working length 13 cm – 1 pc</li> <li>• Nasal Forceps, straight, through-cutting, extra delicate, tissue-sparing, 8 x 3 mm, size 1, with cleaning connector, working length 13 cm – 1 pc</li> <li>• KERRISON Bone Punch, detachable, rigid, upbiting 60° forward, size 2 mm, working length 17 cm – 1 pc</li> <li>• KERRISON Bone Punch, detachable, rigid, upbiting 60° forward, size 3 mm, working length 17 cm – 1 pc</li> <li>• STAMMBERGER Punch, circular cutting, for sphenoid, ethmoid and choanal atresia, diameter 4.5 mm, with cleaning connector, working length 18 cm, including Cleaning Tool – 1 pc</li> <li>• STAMMBERGER Punch, circular cutting, for sphenoid, ethmoid and choanal atresia, diameter 3.5 mm, with cleaning connector, working length 18 cm, including Cleaning Tool – 1 pc</li> </ul> | <b>1</b> | set  | Php 15,900,000.00                      |       |                         |

|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
|  | <ul style="list-style-type: none"> <li>• STRÜMPEL Forceps, with oval, fenestrated, cupped jaws, straight, width 2.5 mm, working length 12.5 cm – 1 pc</li> <li>• STRÜMPEL Forceps, with oval, fenestrated, cupped jaws, 45° upturned, width 2.5 mm, working length 12.5 cm – 1 pc</li> <li>• Insulated Suction Cannula, nasal, length 10 cm – 1 pc</li> <li>• Coagulation Ball Electrode, diameter 2 mm, laterally curved, working length 13 cm – 1 pc</li> <li>• Coagulation Ball Electrode, diameter 4 mm, laterally curved, working length 13 cm – 1 pc</li> </ul> <p><b>SELLAR STAGE</b></p> <ul style="list-style-type: none"> <li>• Forceps, straight, with round cupped jaws, diameter 2.5 mm, working length 18 cm – 1 pc</li> <li>• Forceps, with oval, fenestrated, cupped jaws, 2.5 mm wide, straight, working length 18 cm – 1 pc</li> <li>• Scissors, straight, delicate, working length 18 cm – 1 pc</li> <li>• Scissors, curved to right, extra delicate, working length 18 cm – 1 pc</li> <li>• Scissors, curved to left, extra delicate, working length 18 cm – 1 pc</li> <li>• Scissors, 45° curved upwards, extra delicate, working length 18 cm – 1 pc</li> <li>• Scissors, 45° upwards curve, delicate, shaft 360° rotatable, with cleaning connector, working length 18 cm – 1 pc</li> <li>• scalpel, with telescopic blade, consisting of: Handle, outer tube, Micro-knife, sickle-shaped – 1 pc</li> <li>• scalpel, with telescopic blade, consisting of: Handle, outer tube, Micro-knife, pointed – 1 pc</li> <li>• Elevator, sharp, slightly curved spatula, straight, size 3 mm, with round handle, length 25 cm – 1 pc</li> <li>• Dissector, sharp, tip angled 15°, with round handle, size 2 mm, length 25 cm – 1 pc</li> <li>• Dissector, sharp, round spatula, tip angled 45°, size 3 mm, with round handle, length 25 cm – 1 pc</li> <li>• CASTELNUOVO Hook, 90°, blunt, length 25 cm, with round handle – 1 pc</li> <li>• Curette, round spoon, tip slightly angled, size 2 mm, with round handle, length 25 cm – 1 pc</li> <li>• Curette, round wire, ID 3 mm, tip angled 45°, with round handle, length 25 cm – 1 pc</li> <li>• Ring-Curette, round wire, ductile, ID 3 mm, tip angled 45°, with round handle, length 25 cm – 1 pc</li> <li>• Curette, round wire, ID 5 mm, tip angled 45°, with round handle, length 25 cm – 1 pc</li> <li>• Ring-Curette, round wire, ductile, ID 5 mm, tip angled 45°, with round handle, length 25 cm – 1 pc</li> <li>• Ring- Curette, round wire, ID 3 mm, tip angled 90°, with round handle, length 25 cm – 1 pc</li> <li>• Curette, round wire, ID 5 mm, tip angled 90°, with round handle, length 25 cm – 1 pc</li> <li>• Curette, round wire, ID 3 mm, distally curved shaft, with round handle, length 25 cm – 1 pc</li> <li>• Curette, round wire, ID 5 mm, distally curved shaft, with round handle, length 25 cm – 1 pc</li> <li>• Ring- Curette, round wire, ID 3 mm, tip laterally angled 90°, with round handle, length 25 cm – 1 pc</li> <li>• Curette, round wire, ID 5 mm, tip laterally angled 90°, with round handle, length 25 cm – 1 pc</li> <li>• Ring- Curette, round wire, ID 7 mm, tip laterally angled 90°, with round handle, length 25 cm – 1 pc</li> </ul> |  |  |  |  |  |
|--|--|--|--|--|--|--|

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  | <ul style="list-style-type: none"> <li>• Ring- Curette, round wire, ID 5 mm, vertical long curved, with round handle, length 25 cm – 1 pc</li> <li>• Suction- Curette, with round wire, ID 5 mm, tip angled 45°, LUER, length 25 cm – 1 pc</li> <li>• Suction- Curette, with round wire, ID 7 mm, tip angled 45°, LUER, length 25 cm – 1 pc</li> <li>• Suction, Curette, basket-shape, round wire, size 5 mm, rotating tubing- connector, LUER, length 25 cm – 1 pc</li> <li>• Suction, Curette, basket-shape, round wire, size 6.5 mm, rotating tubing-connector, LUER, length 25 cm, with stylet – 1 pc</li> <li>• Bipolar Forceps, with fine jaws, width 1 mm, distally angled 45°, vertical closing, diameter 3.4 mm, working length 20 cm, consisting of: Bipolar Ring Handle Outer Sheath Inner Sheath Forceps Insert – 1 pc</li> <li>• Bipolar Forceps, width 1 mm delicate jaws, distally angled 45°, horizontal closing, outer diameter 3,4 mm, working length 20 cm, consisting of: Handle Outer Tube Inner Tube Bipolar Insert – 1 pc</li> <li>• Suction Tube, angular, tip curved upwards, ball end, with grip plate and cut-off hole, LUER, diameter 2.4 mm, working length 13 cm – 1 pc</li> <li>• Suction Tube, angular, tip curved upwards, ball end, with grip plate and cut-off hole, LUER, diameter 3 mm, working length 13 cm – 1 pc</li> <li>• FERGUSON Suction Tube, with cut-off hole and stylet, LUER, 10 Fr., working length 15 cm – 1 pc</li> <li>• FERGUSON Suction Tube, with cut-off hole and stylet, LUER, 12 Fr., working length 15 cm – 1 pc</li> <li>• FERGUSON Suction Tube, with cut-off hole and stylet, LUER, 15 Fr., working length 15 cm – 1 pc</li> <li>• Suction Tube, malleable, with elongated cut-off hole and stylet, LUER, working length 15 cm, 4 Fr. – 1 pc</li> <li>• Suction Tube, malleable, with conical tip, with elongated cut-off hole and stylet, LUER, working length 15 cm, 6 Fr. – 1 pc</li> <li>• Suction Tube, malleable, with conical tip, with elongated cut-off hole and stylet, LUER, working length 15 cm, 8 Fr. – 1 pc</li> <li>• Suction Tube, malleable, with conical tip, with elongated cut-off hole and stylet, LUER, working length 15 cm, 10 Fr. – 1 pc</li> <li>• Plastic Container for Sterilization, especially suited for hydrogen peroxide (Sterrad®) sterilization and storage, perforated, with lid, external dimensions (w x d x h): 446 x 90 x 45 mm, for use with two rigid endoscopes up to max. 32 cm working length – 1 pc</li> <li>• Plastic Container for Sterilization and Storage of Variable Instrument Sets, perforated, with transparent lid, with silicone mat, two-level storage, (1 additional insert), external dimensions (w x d x h): 545 x 260 x 115 mm consisting of: 2x 39360 AP Snap-in Clip, package of 12 2x 39360 AS Silicone Tie-Downs, package of 12 39360 AR Tool The plastic containers are suitable for steam, gas and hydrogen peroxide sterilization. – 1 pc</li> <li>• Plastic container, perforated, inner size: 520 x 246 x 120 mm – 1 pc</li> </ul> <p><b>Adult Intraventricular Neuro Endoscope – 1 Set</b></p> <ul style="list-style-type: none"> <li>• Ventriculoscope with Wide Angle Straight Forward Telescope 6°, angled eyepiece, outer diameter 6.1 mm, length 18 cm, working channel diameter 2.9 mm,</li> </ul> |  |  |  |  |
|--|--|--|--|--|--|



|  |   |  |  |  |  |  |
|--|---|--|--|--|--|--|
|  | <p>irrigation/suction channel diameter 1.6, autoclavable, fiber optic light transmission incorporated – 1 pc</p> <ul style="list-style-type: none"> <li>• Ventriculoscope with Wide Angle Straight Forward Telescope 6°, angled eyepiece, outer diameter 6.1 mm, length 18 cm, working channel diameter 2.9 mm, irrigation/suction channel diameter 1.6, autoclavable, fiber optic light transmission incorporated – 1 pc</li> <li>• Obturator for use with Operating Sheaths – 1 pc</li> <li>• Optical Obturator for positioning – 1 pc</li> <li>• Operating Sheaths under visual control<br/>Straight Forward Telescope 0°, diameter 2 mm, length 26 cm, autoclavable, fiber optic light transmission incorporated – 1 pc</li> <li>• Scissors, pointed, rotating, dismantling, with LUER-Lock irrigation connector for cleaning, single action jaws, diameter 2 mm, working length 30 cm consisting of: Metal Handle, Outer Sheath, with scissors insert – 1 pc</li> <li>• Biopsy Forceps, rotating, dismantling, with LUER-Lock irrigation connector for cleaning, double action jaws, diameter 2 mm, working length 30 cm consisting of: Metal Handle, Outer Sheath, with forceps insert – 1 pc</li> <li>• Ventriculostomy Forceps, rotating, dismantling, with LUER-Lock irrigation connector for cleaning, single action jaws, diameter 2 mm, working length 30 cm consisting of: Metal Handle, Outer Sheath, with forceps insert – 1 pc</li> <li>• Grasping Forceps, rotating, dismantling, with LUER-Lock irrigation connector for cleaning, double action jaws, diameter 2 mm, working length 30 cm consisting of: Metal Handle, Outer Sheath, with grasping forceps insert – 1 pc</li> <li>• Biopsy Forceps, double action jaws, flexible, diameter 1 mm, working length 30 cm – 1 pc</li> <li>• Bipolar Coagulation Electrode, diameter 1.7 mm, working length 30 cm – 1 pc</li> </ul> <p><b>Pediatric Intraventricular Neuro Endoscope – 1 set</b></p> <ul style="list-style-type: none"> <li>• Ventriculoscope, small, Wide Angle Straight Forward Telescope 6°, with angled eyepiece, outer diameter 3.6 mm, length 18, working channel diameter 1.6 mm, with suction and irrigation channel diameter 0.8 mm, autoclavable, with irrigation adapter, fiber optic light transmission incorporated – 1 pc</li> <li>• Operating Sheath, small, outer diameter 4.5 mm, working length 13.3 cm – 1 pc</li> <li>• Obturator, for use with operating sheath – 1 pc</li> <li>• Obturator, for use with operating sheath – 1 pc</li> <li>• Scissors, single-action jaws, semi-rigid, diameter 1.3 mm, working length 30 cm – 1 pc</li> <li>• Biopsy Forceps, double action jaws, diameter 1.3 mm, working length 30 cm – 1 pc</li> <li>• Grasping Forceps, double-action jaws, semi-rigid, diameter 1.3 mm, working length 30 cm – 1 pc</li> <li>• Bipolar Coagulation Electrode, diameter 1.3 mm, working length 30 cm – 1 pc</li> <li>• Forceps, for ventriculostomy, flexible, double action jaws, diameter 1 mm, working length 30 cm – 1 pc</li> <li>• Adaptor, with ergonomic swivel, autoclavable, permits telescope changing under sterile conditions – 1 pc</li> </ul> <p><b>• Instrument Trays (inner &amp; outer) – 6 units</b></p> |  |  |  |  |  |
|--|---|--|--|--|--|--|

| Item No. | Complete Specifications of Item   | Qty | Unit | Approved Budget for the Contract (ABC) | Brand | Statement of Compliance |
|----------|---|-----|------|--|-------|-------------------------|
| 6        | <b>GASTROSCOPE</b><br><br>Compatible with existing endoscopy tower.<br>Optical System<br>Field of view: Normal 140°-, Near 140°<br>Direction of view: Forward viewing<br>Depth of field: Normal 5-100 mm, Near 2-6 mm<br><br>Insertion Section<br>Distal End outer diameter-9.9 mm<br>Insertion Tube outer diameter-9.9 mm<br>Working Length-1,030 mm<br><br>Instrument Channel:<br>Channel inner diameter-2.8 mm<br>Minimum visible distance- 3.0 mm from the distal end<br><br>Bending Section:<br>Angulation range-Up 210°,Down 90°,Right 100°,Left 100°<br><br>Total Length-1,350 mm<br><br>Wash Tray<br>Cleaning brush – 2 pcs<br>Biopsy Forceps<br>- Alligator forceps – 2 pcs<br>- Snare forceps – 2 pcs<br>Dormia Basket – 2 pcs<br>Cytology brush – 2 pcs  | 1   | unit | Php 1,250,000.00                       |       |                         |
| 7        | <b>COLONOSCOPE</b><br><br><ul style="list-style-type: none"> <li>Compatible with existing endoscopy tower</li> <li>Color system PAL, sheath outer diameter 12.9 mm, working channel diameter 3.8 mm, working length 1400 mm, deflection up/down 180°/180°, deflection left/right 160°/160°, angle of view 160°, depth of field 2 - 100 mm consisting of: 13924 PKS Standard Colonoscope 1x Irrigation Tube, reusable 1x Y-Irrigation Tube, reusable 1x Pressure Compensation Cap, ETO cap 1x Leakage Tester 1x Sealing Cap, for working channel, package of 10 1x Cleaning Valve, reusable 1x Suction Valve, reusable 1x Air/Water Valve 1x Valve Brush, for video endoscopes 1x Biopsy Forceps, sterile, for single use 3x Cleaning Brush, diameter 5 mm, unsterile, for single use 1x Protective Film 1x Case 2x Keys for case</li> <li>Irrigation Pump <ul style="list-style-type: none"> <li>Irrigation and suction pump hysteroscopy program included <ul style="list-style-type: none"> <li>-Pressure range: 15 to 150 mmHg</li> <li>-Flow range: 200 to 230mL/min</li> </ul> </li> </ul> </li> </ul> | 1   | unit | Php 1,250,000.00                       |       |                         |

|          |  |   |      |                       |  |  |
|----------|--|---|------|-----------------------|--|--|
|          | <ul style="list-style-type: none"> <li>-Suction power: maximum 2 L/min</li> <li>-Power supply: (220 V ~; 60 Hz)</li> <li>-Power consumption: 80 – 100 VA</li> <li>• 1 Box of 10 sterile irrigation tubes</li> <li>• 1 Box of 10 sterile suction tubes – 2 connectors</li> <li>• 1 Box of 10 sterile suction vacuum tubes with filter</li> </ul>  |   |      |                       |  |  |
| <b>8</b> | <b>NEUROSURGICAL INSTRUMENTS (STAINLESS STEEL)</b> <ul style="list-style-type: none"> <li>• Raney Clip Applier/Remover 160 mm ±3, 6 ¼ 1 pc</li> <li>• Raney Scalp Clip, Metal, reusable, package of 25 pieces 1 set</li> <li>• Hudson drill brace, ½ attachment port 1 pc</li> <li>• Hudson cerebellar attachment, Drill extension, ½ attachment port 1 pc</li> <li>• Hudson burr/enlarger, 9 mm diameter, ½ attachment 1 pc</li> <li>• Hudson burr/enlarger, 14 mm diameter, ½ attachment 1 pc</li> <li>• Hudson burr/enlarger, 16 mm diameter, ½ attachment 1 pc</li> <li>• McKenzie twist drill, 13 mm diameter, ½ attachment 1 pc</li> <li>• Cushing flat drill, 14 mm diameter, ½ attachment 1 pc</li> <li>• Gigli wire guide/conductor, 350 mm, ½ width, flexible 5 pcs</li> <li>• Bone curette, Volkman, 2.8mm, 170 mm±3, 6 -7" 1 pc</li> <li>• Penfield dissector 1, Double-ended, 175 mm, 7" 1 pc</li> <li>• Penfield dissector 2, Double-ended, 195 mm, 7 ¾" 1 pc</li> <li>• Penfield dissector 3, Double-ended, 195 mm, 7 ¾" 1 pc</li> <li>• Penfield dissector 4, Slightly curved, 205 mm, 8" 1 pc</li> <li>• Penfield dissector 5, Double-ended, slightly curved, 290 mm, 11 ½" 1 pc</li> <li>• Dura retractor, Frazier, 130 mm ±3, 5-5.5" 1 pc</li> <li>• Frazier Suction, 180 mm ±3, 12 French with stylet 1 pc</li> <li>• Suction tip, Frazier, 3 mm diameter, 180 mm ±3, 7", 9 Fr with stylet 1 pc</li> <li>• Dissecting scissors, straight, Metzenbaum, straight, 145 mm ±3, 5-6" 1 pc</li> <li>• Dissecting scissors, curved, Metzenbaum, curved, 145 mm ±3, 5-6" 1 pc</li> <li>• Dissecting scissors, straight, Mayo, straight, 165 mm ±3, 6-7" 1 pc</li> <li>• Dissecting scissors, curved, Mayo, curved, 165 mm ±3, 6-7" 1 pc</li> </ul> | 2 | sets | Php 1,000,000.00 /set |  |  |

|   |       |  |  |  |  |
|---|-------|--|--|--|--|
| 6-7"  |       |  |  |  |  |
| • Tissue forceps, toothless, Cushing, 180 mm ±3, 7-8", toothless, straight                        | 1 pc  |  |  |  |  |
| • Tissue forceps, with teeth, fine, Waugh, 180 mm ±3, 7-7.5", with teeth, straight, fine          | 1 pc  |  |  |  |  |
| • Tissue forceps, with teeth, Heavy pattern, 145 mm ±3, 5-6"                                      | 1 pc  |  |  |  |  |
| • Tissue forceps, bayonet, toothless, Adson, 180 mm ±3, 7-7.5", bayonet                           | 1 pc  |  |  |  |  |
| • Bone rongeur, Stille, 230 mm ±3, 8.5-9"   | 1 pc  |  |  |  |  |
| • Bone rongeur, Echlin, 230 mm ±3, 8.5-9"   | 1 pc  |  |  |  |  |
| • Bone rongeur, Leksell-Stille, 240 mm ±3, 9-9.5"   | 1 pc  |  |  |  |  |
| • Kerrison punch, 90° upbite, 5 mm, 180 mm ±3   | 1 pc  |  |  |  |  |
| • Kerrison punch, 90° upbite, 3 mm, 180 mm ±3   | 1 pc  |  |  |  |  |
| • Kerrison punch, 90° downbite, 4 mm, 180 mm ±3   | 1 pc  |  |  |  |  |
| • Kerrison punch, 130° upbite, 5 mm, 180 mm ±3  | 1 pc  |  |  |  |  |
| • Kerrison punch, 130° upbite, 3 mm, 180 mm ±3  | 1 pc  |  |  |  |  |
| • Kerrison punch, 130° downbite, 4 mm, 180 mm ±3  | 1 pc  |  |  |  |  |
| • Ventricular cannula, Cushing-Cairns, 90-95 mm, 2.5-3 mm diameter                                | 1 pc  |  |  |  |  |
| • Caspar, straight, 160 mm ±3, 3x12 mm, straight  | 1 pc  |  |  |  |  |
| • Caspar, upbite, 150°, 160 mm ±3, 3x12 mm, upbite  | 1 pc  |  |  |  |  |
| • Caspar, downbite, 150°, 160 mm ±3, 3x12 mm, downbite  | 1 pc  |  |  |  |  |
| • Brain spatula, Flat, 180-200 mm, 7 + 8 mm, malleable, flexible                                  | 2 pcs |  |  |  |  |
| • Brain spatula, Flat, 180-200 mm, 8 x 4 mm, flexible   | 2 pcs |  |  |  |  |
| • Brain spatula, Flat, 180-200 mm, 12 mm, malleable   | 2 pcs |  |  |  |  |
| • Brain spatula, Flat, 180-200 mm, 17 mm, malleable   | 2 pcs |  |  |  |  |
| • Towel clips, 5-7cm  | 6 pcs |  |  |  |  |
| • Needle holders, 7-9cm   | 3 pcs |  |  |  |  |
| • Scalpel Handle (No. 3), Blade 11  | 1 pc  |  |  |  |  |
| • Scalpel Handle (No. 3), Blade 15  | 1 pc  |  |  |  |  |
| • Medicine cup  | 2 pcs |  |  |  |  |
| • Tumor cup   | 2 pcs |  |  |  |  |
| • Kidney basin, 500ml   | 4pcs  |  |  |  |  |
| • Container 21-25"x12-15"x4-5"(LxWxH) with lid, autoclavable or compatible with gas sterilization | 2 pcs |  |  |  |  |

|  |  |       |  |  |  |  |
|--|--|-------|--|--|--|--|
|  | (inner & outer)  |       |  |  |  |  |
|  | <ul style="list-style-type: none"> <li>Kelly clamps, straight</li> </ul> | 4 pcs |  |  |  |  |
|  | <ul style="list-style-type: none"> <li>Kelly clamps, curve</li> </ul>    | 4 pcs |  |  |  |  |
|  | <ul style="list-style-type: none"> <li>Allis clamps, 7cm</li> </ul>      | 6 pcs |  |  |  |  |
|  | <ul style="list-style-type: none"> <li>Scalp hooks</li> </ul>            | 4 pcs |  |  |  |  |

| Item No.            | Complete Specifications of Item  | Qty | Unit  | Approved Budget for the Contract (ABC) | Brand | Statement of Compliance |
|---------------------|--|-----|-------|--|-------|-------------------------|
| <b>OR EQUIPMENT</b> |  |     |       |  |       |                         |
| 9                   | <b>OPERATING ROOM TABLE</b><br><br>Features: <ul style="list-style-type: none"> <li>Four (4) parts Head, Back, Hip and Leg section</li> <li>Table positioning is driven by gears and controlled by two handles. Height adjustment is pedal controlled hydraulic system.</li> </ul> Materials: <ul style="list-style-type: none"> <li>Stainless steel metal construction and heat sealed foam mattress.</li> </ul> Operations: <ul style="list-style-type: none"> <li>Up and down adjustment: hydraulic with foot pedal control</li> <li>Right-left tilting: mechanical operation with handle for tilting adjustment.</li> <li>Trendelenburg and reverse trendelenburg position: mechanical adjustment</li> <li>Back-section adjustment: mechanical</li> <li>Headrest: detachable</li> <li>Leg section: detachable</li> <li>Kidney elevation function</li> <li>With heavy duty caster wheel and brake system</li> </ul> Accessories: <ul style="list-style-type: none"> <li>Arm rest</li> <li>Chest and waist support</li> <li>Knee crutches</li> <li>Shoulder support</li> <li>Drain pan/tray</li> <li>Attachment for horseshoe head rest</li> <li>Kidney elevator</li> </ul> Standard Requirement: <ul style="list-style-type: none"> <li>Operation and maintenance manual</li> </ul> | 4   | Units | Php 750,000.00/unit                    |       |                         |

| Item No.                 | Complete Specifications of Item   | Qty | Unit | Approved Budget for the Contract (ABC) | Brand | Statement of Compliance |
|--------------------------|---|-----|------|--|-------|-------------------------|
| <b>OB-GYNE EQUIPMENT</b> |   |     |      |  |       |                         |
| 10                       | <b>HYSTEROSCOPY TOWER</b><br><br>Complete Set Imaging Station<br><b>1 unit</b> – Two in one, the integration of the LED light source and of the HD camera in a single housing <ul style="list-style-type: none"> <li>• Dimensions of the control unit: 310-350mm X 75-85mm X 310-350mm</li> <li>• Weight of the camera head: 250g – 460g</li> <li>• Power supply: 220 VAC, 60HZ</li> <li>• 1 HDMI output</li> <li>• Supplied with 2 Wi-Fi keys and a 6 – 16 GB USB storage key</li> <li>• Light source specifications:               <ul style="list-style-type: none"> <li>- LED technology</li> <li>- Color temperature of 6000 °K</li> <li>- Typical LED lifetime of 50,000 hours</li> <li>- Automatic detection of presence/absence of the light cable</li> <li>- Extra bulb for every equipment with light source – 2 pcs</li> </ul> </li> <li>• Camera specifications:               <ul style="list-style-type: none"> <li>- Waterproof HD CMOS sensor</li> <li>- Resolution: 1920 X 1080 – 2920 X 2080</li> <li>- Definition &gt; 900 – 1500 lines</li> <li>- 3 pre-programmed buttons</li> <li>- C-mount lens F= 22mm – 26mm</li> </ul> </li> <li>• 1 unit – Tablet 12.9”               <ul style="list-style-type: none"> <li>- At least 256GB</li> <li>- Retina display, resolution of at least 2,732 X 2,048</li> <li>- Supplied with keyboard and stylus</li> </ul> </li> <li>• 1 App-Hysteroscopy database management               <ul style="list-style-type: none"> <li>- Application for Hysteroscopy patient result with Network attached Storage</li> </ul> </li> <li>• 1 unit- 22” medical grade monitor               <ul style="list-style-type: none"> <li>- Full HD Resolution</li> <li>- Eco-intelligent sensor for low power consumption</li> <li>- Highly resistant optical glass for easy cleaning</li> </ul> </li> <li>• 1 unit – Cart               <ul style="list-style-type: none"> <li>- With shelves &amp; drawers</li> <li>- Heavy duty casters with brake</li> <li>- 1 infusion stand</li> <li>- 1 camera holder</li> <li>- 1 light cable holder</li> <li>- Arm for the tablet</li> </ul> </li> </ul> | 1   | set  | Php 9,000,000.00                       |       |                         |

|  |   |  |  |  |  |  |
|--|---|--|--|--|--|--|
|  | <p>COMPLETE HYSTEROSCOPY INSTRUMENTS - 1 SET</p> <ul style="list-style-type: none"> <li>• 1 pc – HD Hysteroscope 2.9mm – 4.9mm, 30°, L:300mm – 400mm, autoclavable</li> <li>• 1pc – Diagnostic sheath 4 – 6mm, rotatable stopcock</li> <li>• 1pc – Outer operating sheath 5.5 – 7mm, rotatable stopcock</li> <li>• 1 pc – Inner operating sheath 4.9 – 7mm, 7Fr. Operative canal</li> <li>• 1 pc – Graduated scissors 7 – 9 Fr. Semi rigid, L340-440mm, single action jaws</li> <li>• 1 pc – Graduated forceps (alligator) 7 Fr – 9 Fr., semi rigid, L:340-440mm, single action jaws</li> <li>• 1 pc – Graduated biopsy forceps 7 – 9 Fr., semi rigid, L340-440mm, double action jaws</li> <li>• 1 pc – Graduated IUD grasping forceps 7 Fr., semi rigid, L: 340-440mm, double action jaws</li> <li>• 1 pc – Light cable, grey, Ø3.5 – 4.5mm, delivered with connections</li> </ul> <p>COMPLETE BIPOLAR RESECTION INSTRUMENTS - 1 SET</p> <ul style="list-style-type: none"> <li>• 1pc HD Hysteroscope 2.9mm – 3.0mm, 12° autoclavable, L:300mm – 400mm</li> <li>• 1 pc Inner sheath 17.5 – 19.5 Fr., Rotatable</li> <li>• 1 pc Outer sheath 18.5 – 20 Fr. Double flow, Quick lock</li> <li>• 2 pcs Cutting loop, 12 - 30°</li> <li>• 2 pcs Cutting loop, straight</li> <li>• 2 pcs Coagulating electrode rollerball</li> <li>• 2 pcs Coagulating electrode knife</li> <li>• 1 pc Light cable autoclavable, Ø 3.5 – 5mm, L:2.3mm – 5.3mm</li> <li>• 1 pc Obturator Quick lock</li> <li>• 1 pc Sterilization Tube</li> <li>• 1 pc Autoclaving and storage of Electrodes</li> <li>• 1 pc sterilization tray Autoclavable, Supplied with a silicone mat and a lid</li> <li>• 1 pc Resection Cable</li> </ul> <p>IRRIGATION PUMP, HYSTEROSCOPY FUNCTION - 1 SET</p> <ul style="list-style-type: none"> <li>• Irrigation and suction pump hysteroscopy program included <ul style="list-style-type: none"> <li>- Pressure range: 15 to 150 mmHg</li> <li>- Flow range: 50 to 500mL/min</li> <li>- Suction power: maximum 2 L/min</li> <li>- Power supply: (100 – 240 V ~; 50/60 Hz)</li> <li>- Power consumption: 80 – 100 VA</li> </ul> </li> <li>• 1 Box of 10 sterile irrigation tubes</li> <li>• 1 Box of 10 sterile suction tubes – 2 connectors</li> <li>• 1 Box of 10 sterile suction vacuum tubes with filter</li> </ul> |  |  |  |  |  |
|--|---|--|--|--|--|--|

|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
|  | <p>GYNECOLOGICAL EXAMINATION BED WITH DOCTOR'S STOOL<br/>- 1 SET</p> <ul style="list-style-type: none"> <li>• Designed for gynecological examination, simple surgical operations</li> <li>• Headrest height adjustment with electronic motor</li> <li>• With manual override</li> <li>• Hand control unit</li> <li>• Trendelenburg movement with the help of mechanical damper mechanism</li> <li>• Stable position during the elevation of the couch</li> <li>• Easy – cleaning water resistant and antibacterial special furnishing</li> <li>• Formed by 3 main parts (couch, seat, leg)<br/>Easily removable legs for examination and operation</li> </ul> <p>ELECTROSURGICAL DEVICE AND SUCTION MACHINE WITH TROLLEY (COMBINATION SYSTEM) - 1 SET</p> <p>Features: System is the combination of Electrosurgical device and surgical suction unit. System lets the operators save space in busy operating theatres.</p> <p>Surgical Suction Unit Specification:</p> <ul style="list-style-type: none"> <li>• 60 – 80 L/min flow rate</li> <li>• 2 pieces of 2-3 L autoclavable collecting jar with overflow protection feature for each jar</li> <li>• Jar switch lever</li> </ul> <p>ELECTROSURGICAL DEVICE - 1 SET</p> <p>Features: Bipolar and monopolar matter cutting and different volume output in coagulation foot switch alarm (when you push cutting coagulation simultaneously, the device stops alarm and foot switch gives alarm)</p> <ul style="list-style-type: none"> <li>• Output power control</li> <li>• Control of time for giving current</li> <li>• High temperature control</li> <li>• Internal control of the device parameters</li> <li>• Device automatically performs all control</li> </ul> <p>General Features:</p> <ul style="list-style-type: none"> <li>• Maximum Output Power: 400 – 500 watt Cut mode</li> <li>• Devices modes: <ul style="list-style-type: none"> <li>- Monopolar (cut-coag Mode) Monopolar (coag mode)</li> <li>- Bipolar (Cut-coag Mode) Vessel Sealing L1, L2, L3 shape</li> </ul> </li> <li>• Memory Characteristics: 50 data Storage</li> <li>• Voice Alert Feature: 40 – 70 dB Adjusted in the range-volume control which depends output</li> <li>• Power requirement: 220VAC, 60Hz</li> </ul> |  |  |  |  |  |
|--|--|--|--|--|--|--|



|  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|
|  | <ul style="list-style-type: none"> <li>• Menu/Screen Features Data/Menu Display: LCD Screen</li> <li>• Display Screen: Display (seven segments) screen, 5 level screen brightness</li> </ul> <p>MAYO TABLE - 1 UNIT</p> <ul style="list-style-type: none"> <li>• Stainless steel with three castors, two are with break, and one is antistatic</li> <li>• Compatible with international hygiene norms with rounded concave concerns, easy to clean, and antibacterial press print</li> <li>• Rotatable upper tray independent of foot section</li> <li>• Adjustable Height between 920-1310mm controlled by hydraulic foot switch</li> </ul> <p>LED LAMP - 1 UNIT</p> <ul style="list-style-type: none"> <li>• Flexible arm L 70cm with Contactless switch option double intensity 50/100% <ul style="list-style-type: none"> <li>Watts: 17-20W</li> <li>Kelvins: 4500-6000° K</li> <li>Lumens: 1440-2000 lm</li> <li>Led lifetime: at least 50,000 hrs</li> <li>Color rendering index: 95-150</li> <li>Cable length: 3-5 meters</li> <li>Insulation: Class I</li> <li>Head lamp size: 160x133mm</li> <li>Base lamp size: 69X69X115mm</li> <li>Interaxis (4 holes on lamps base): 54.5cm – 7cm</li> </ul> </li> </ul> <p>HYSTEROSCOPE SIMULATOR - 1 SET</p> <p>Package Content:</p> <ul style="list-style-type: none"> <li>• Hysteroscopy base unit to position uterus</li> <li>• Clamp for fixing base unit</li> <li>• 2X Non pathological Uterus – also used for interchangeable polyps and adhesions</li> <li>• 1X Uterus with submucosal fibroid/cancer lesion</li> <li>• 50X Polyps</li> </ul> <p>ULTRAVIOLET CONTINUOUS 24/7 (Air Treatment System) - 1 UNIT</p> <ul style="list-style-type: none"> <li>• Merv 6 High Air Flow Particle Filter</li> <li>• Ultra Quiet Air Circulation Fans</li> <li>• 50 CFM</li> <li>• Remote control with timer</li> <li>• At least 50 square meters coverage</li> <li>• With free HEPA Filter – 5 pcs</li> </ul> <p>Inclusive of four (4) Nurses – Onsite Training for Proper Instrument Care and Safe Keeping.<br/>Onsite training for Bio-medical Staff</p> |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|

| Item No. | Complete Specifications of Item  | Qty | Unit | Approved Budget for the Contract (ABC) | Brand | Statement of Compliance |
|----------|--|-----|------|--|-------|-------------------------|
| 11       | <p><b>ULTRASOUND MACHINE</b></p> <p><b>Application</b><br/>Gynecology &amp; Obstetrical</p> <p><b>Transducer</b><br/><b>Convex Probe</b><br/>Frequency: 3-9 mHz</p> <p><b>Endocavity Probe (with compatible needle guide)</b><br/>Frequency: 2.9-9.7 mHz</p> <p><b>3D Volume Convex Probe</b><br/>Frequency: 3.5-6.5 mHz</p> <p><b>4D Endocavity Probe</b><br/>Frequency: 3.8-9.3 mHz</p> <p><b>Console Design</b><br/>4 Active Probe Ports<br/>4 Swivel Wheel Cart Based Type<br/>Articulated Monitor Arm<br/>Built-in Printer Storages<br/>Ergonomic Operation Panel<br/>Touch Screen<br/>Alpha-Numeric Keyboard<br/>Trackball<br/>Probe Holder / Gel Holder<br/>Front Handle<br/>Integrated PC Module<br/>Integrated HDD<br/>Optical Disk Drive<br/>Gel Warmer</p> <p><b>Main Monitor</b><br/>21.5 Inches High Resolution LED Medical Grade Monitor<br/>Resolution: 1,920 x 1,080 (16:9)<br/>Number of Color: 16.7 M<br/>Brightness Adjustment<br/>Articulated Monitor Arm<br/>- Swivel: +/- 160 °<br/>- Tilt: + 25 ° / - 70 °<br/>- Lift: 180 mm</p> <p><b>Control Panel</b><br/>Touch Screen<br/>- 10.1 Inches High Resolution LED Monitor<br/>- Resolution: 1,280 X 800<br/>- Capacitive Touch Type<br/>- Virtual Alpha Numeric Keyboard<br/>Alpha-Numeric Keyboard Display<br/>4 User Keys<br/>With backlit<br/>5 Probe Holders</p> | 1   | unit | Php 3,000,000.00                       |       |                         |

|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
|  | <p>Height Adjustment: 180 mm</p> <p><b>PC</b><br/> Windows Embedded Standard 10<br/> Main Memory: 2 TB<br/> Built-in HDD : 500GB</p> <p><b>Electrical Specification</b><br/> Frequency: 60 Hz<br/> Voltage: 220 VAC</p> <p><b>Operation Mode</b><br/> B-Mode (2D)<br/> Color Doppler Mode (C)<br/> Pulse Wave Doppler (PWD)<br/> Continuous Wave Doppler(CWD): Steered / Static<br/> Power Doppler Mode (PD)<br/> M-Mode (M)<br/> Anatomical M Mode<br/> Single/Dual/Quad Mode<br/> Volume Mode<br/> 3D / 4D</p> <p><b>System Standard Features</b><br/> Digital Beam-forming<br/> Frequency Range: 1 ~ 18MHz<br/> Displayed Imaging Depth (Probe dependent)<br/> - Minimum Depth of Field: 2cm<br/> - Maximum Depth of Field: 38cm<br/> Number of Focal Points: 1 ~ 4<br/> Transmission Focal Zone Position selection<br/> - 1 ~ 8 Focal Points Selectable<br/> (Probe and Application dependent)<br/> Continuous Dynamic Receive Focus / Aperture<br/> Multi-frequency / Wideband Technology<br/> Frequency Compounding (FSI)<br/> Shades of Gray<br/> Frame Rate at least 2,000 fps (Hz)<br/> Color Frame Rate at least 400 fps (Hz)<br/> Image Reverse: Right/Left, Up/Down<br/> Image Rotation: 90°, 180°, 270°<br/> Pre Processing<br/> Post Processing<br/> Digital Calipers / Measurement<br/> Cine Memory<br/> - Capacity: 500 MB<br/> - Cine loop: Max. 14,000 Lines<br/> - Image storage: Max. 45,000 Frames / 60 Sec<br/> Report Package<br/> Body Marker<br/> System Boot up: Max. 150 Sec<br/> User Programmable Preset : at least 30 Presets<br/> User Programmable Key: 4 Keys<br/> Touch Screen Menu Editable Function<br/> Data Backup / Restore<br/> Image Exporting and Importing<br/> PW Velocity Range: 0.1cm/s ~ 8.8m/s<br/> CW Velocity Range: 1cm/s ~ 19.3m/s</p> |  |  |  |  |  |
|--|--|--|--|--|--|--|

|  |   |  |  |  |  |  |
|--|---|--|--|--|--|--|
|  | <p>Trapezoidal Imaging<br/>System Processing Channel: 573,440</p> <p><b>System Requirement</b><br/>4D<br/>DICOM Intergrated to hospital PACS System<br/>Panoramic<br/>Modality worklist</p> <p><b>Standard Accessories</b><br/>Black and White Thermal Printer<br/>Thermal Paper - 30 rolls<br/>Online UPS compatible to system requirement<br/>Operation Manual (Original)<br/>Ultrasound Gel - 10 liters<br/>Endocavity probe needle guide &amp; needle (10 pcs)</p> <p><b>Training and other Documents</b><br/>Onsite training for application and clinical training for staff<br/>Provision of User/Technical/maintenance manuals</p> <p><b>COMPUTER SYSTEM (DESKTOP) with MS Office Branded</b><br/>Central Processing Unit (CPU):<br/>Processor: <a href="#">Intel® Core™ i7 or higher processor</a><br/>Memory: 8GB DDR4<br/>Motherboard: w/ 16X PCI Express; SATA type; supports DDR4 Memory Module; w/ 4 Built-in 2.0 high speed and 3.0 USB ports (excluding for mouse &amp; keyboard)<br/>Hard Disk: 500 GB or higher SATA type; Equally partitioned to two (2). Interface: SATA, Transfer Rate, Max Ext(600MB/s)<br/>Disc Drives: Multi-Drive Double Layer DVD+RW<br/>Network: Gigabit LAN<br/><b>Video Graphics Card:</b> Minimum 4GB (not shared w/ system memory)<br/>External Network Card: Gigabit PCI Express<br/>Sound card: Integrated Sound Card<br/>USB Ports (High-speed 2.0 and 3.0) : total of eight (8) w/ two (2) in front</p> <p>Display Monitor:<br/>21" Widescreen LED Dvi (Meets FCC &amp; ISO Standard) - with no pixel error display (ISO 9241-307 or ISO 13406-2)<br/>Mouse: Optical w/ scroll button (USB)<br/>Keyboard: Optical USB<br/>Software:(With recovery CD each and licenses)<br/> <ul style="list-style-type: none"> <li>OS: Windows 10 Pro 64-bit OEM License - Included Microsoft Disk Installer</li> <li>Office Tools: Standard Microsoft Office 2016 Pro OEM Lic.</li> </ul> Warranty: Minimum of one (1) years on parts and services</p> <p><b>Uninterruptible Power Supply (UPS)</b> <ul style="list-style-type: none"> <li>1000 VA Capacity or higher w/ Built-in AVR</li> <li>Available 4 outlets at 220 volts output</li> <li>Provides lightning, transient, overload &amp; short-circuit protection</li> <li>120V-240V at 50 to 60Hz Operation</li> </ul> </p> |  |  |  |  |  |
|--|---|--|--|--|--|--|

|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
|  | <ul style="list-style-type: none"> <li>• 10 minutes uptime during block-out</li> </ul> <p><u>COLOR ALL-IN-ONE INK TANK PRINTER w/ SCANNER</u></p> <p>Printer Specs:</p> <ul style="list-style-type: none"> <li>• Printing Technology: On-demand inkjet</li> <li>• High-yield ink bottles</li> <li>• Print Resolution: at least 5760 x 1440 dpi</li> <li>• Print Speed: at least 33 ppm</li> <li>• Black Nozzle Configuration: 180</li> <li>• Colour Nozzle Configuration: 59 per color(C,M,Y)</li> <li>• Connectivity: USB 2.0</li> <li>• Paper Size (max): A3, A4, A5, 8.5x13</li> <li>• No. of feeders: 1</li> <li>• Paper Load: 150 sheet;600 x 600 dpi</li> <li>• Durability Ratings: Monthly pages volume: 5,000-10,000</li> <li>• Media Types: Paper(plain,light,bond,recycled,mid-weight,heavy,extra heavy,mid-weight glossy, heavy glossy,extra heavy glossy,cardstock,card glossy),color transparency,labels,letterhead,envelope,preprinted,user defined)</li> </ul> <p>Scanner Specs:</p> <ul style="list-style-type: none"> <li>• Flatbed colour image scanner</li> <li>• Scan Area: at least 216 x 297mm</li> <li>• Resolution: up to 1200 x 1200 dpi</li> <li>• Scan Speed: 300 dpi 11sec / 33 sec</li> </ul> <p>Other Features:</p> <ul style="list-style-type: none"> <li>• Networkable: Gigabit LAN/WiFi</li> <li>• Compatibility: WinXP, Win7, Win8, Win10, MAC</li> <li>• Warranty: One (1) Year on parts and services</li> </ul> <p>Electrical Specification:</p> <ul style="list-style-type: none"> <li>• Rated voltage: AC 100-240V</li> <li>• Rated Frequency: 50-60 hz</li> <li>• Operating: 13W</li> <li>• Sleep: 0.8w</li> <li>• Power off: 0.3w</li> </ul> <p>Additional Accessories:</p> <ul style="list-style-type: none"> <li>• User's Manual</li> <li>• Power Cable</li> <li>• Data Cable</li> <li>• CD Drivers and Utilities</li> <li>• Computer Chair - 2 pcs</li> </ul> |  |  |  |  |  |
|--|--|--|--|--|--|--|

## **Section VIII. Bidding Forms**

TABLE OF CONTENTS

BID FORM ..... 96

For Goods Offered from Abroad..... 98

For Goods Offered from Within the Philippines .....99

CONTRACT AGREEMENT FORM ..... 100

OMNIBUS SWORN STATEMENT .....102

BANK GUARANTEE FORM FOR ADVANCE PAYMENT .....105

BID SECURING DECLARATION FORM .....106

## Bid Form

---

Date: \_\_\_\_\_  
Invitation to Bid<sup>1</sup> N°: 2020-04-004

To: Northern Mindanao Medical Center  
Capitol Compound, Cagayan de Oro City

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* [PROCUREMENT OF VARIOUS HOSPITAL EQUIPMENT] in conformity with the said Bidding Documents for the sum of *[total Bid amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in **BDS** provision for **ITB** Clause 18.2 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:<sup>2</sup>

| Name and address<br>of agent | Amount and<br>Currency | Purpose of Commission<br>or gratuity |
|------------------------------|------------------------|--------------------------------------|
| _____                        | _____                  | _____                                |
| _____                        | _____                  | _____                                |
| _____                        | _____                  | _____                                |
| (if none, state "None")      |                        |                                      |

---

<sup>1</sup> If ADB, JICA and WB funded projects, use IFB.

<sup>2</sup> Applicable only if the Funding Source is the ADB, JICA or WB.



Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, *[for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of Name of Bidder, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the Name of Project of the Name of the Procuring Entity]* *[for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the Name of Bidder, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for Name of Project of the Name of the Procuring Entity].*

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_\_.

\_\_\_\_\_  
*[Signature]*

\_\_\_\_\_  
*[in the capacity of]*

Duly authorized to sign Bid for and on behalf of \_\_\_\_\_

### For Goods Offered From Abroad

Name of Bidder \_\_\_\_\_. Invitation to Bid<sup>3</sup> Number \_\_. Page \_\_ of \_\_\_\_.

[illegible]

---

*[signature]*

---

---

*[in the capacity of]*

Duly authorized to sign Bid for and on behalf of \_\_\_\_\_

<sup>3</sup> If ADB, JICA and WB funded projects, use IFB.

### For Goods Offered From Within the Philippines

Name of Bidder \_\_\_\_\_. Invitation to Bid<sup>4</sup> Number \_\_\_\_\_. Page \_\_\_\_.

| 1    | 2           | 3                 | 4        | 5                       | 6   | 7  | 8  | 9                                   | 10  |
|------|-------------|-------------------|----------|-------------------------|---|--|--|-------------------------------------|---|
| Item | Description | Country of origin | Quantity | Unit price EXW per item | Transportation and Insurance and all other costs incidental to delivery, per item | Sales and other taxes payable if Contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+8) | Total Price delivered Final Destination (col 9) x (col 4) |
|      |             |                   |          |                         |   |  |  |                                     |   |

\_\_\_\_\_  
[signature]

\_\_\_\_\_  
[in the capacity of]

Duly authorized to sign Bid for and on behalf of \_\_\_\_\_

\_\_\_\_\_  
<sup>4</sup> If ADB, JICA and WB funded projects, use IFB.

## Contract Agreement Form

---

THIS AGREEMENT made the \_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_ between [*name of PROCURING ENTITY*] of the Philippines (hereinafter called “the Entity”) of the one part and [*name of Supplier*] of [*city and country of Supplier*] (hereinafter called “the Supplier”) of the other part:

WHEREAS the Entity invited Bids for certain goods and ancillary services, viz., [*brief description of goods and services*] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [*contract price in words and figures*] (hereinafter called “the Contract Price”).

### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
  - (a) the Supplier’s Bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.* bidder’s response to clarifications on the bid), including corrections to the bid resulting from the Procuring Entity’s bid evaluation;
  - (b) the Schedule of Requirements;
  - (c) the Technical Specifications;
  - (d) the General Conditions of Contract;
  - (e) the Special Conditions of Contract;
  - (f) the Performance Security; and
  - (g) the Entity’s Notice of Award.
3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract
4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

Signed, sealed, delivered by \_\_\_\_\_ the \_\_\_\_\_ (for the Entity)

Signed, sealed, delivered by \_\_\_\_\_ the \_\_\_\_\_ (for the Supplier)

Duly authorized to sign Bid for and on behalf of \_\_\_\_\_

## Omnibus Sworn Statement

---

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### AFFIDAVIT

I, *[Name of Affiant]*, of legal age, *[Civil Status]*, *[Nationality]*, and residing at *[Address of Affiant]*, after having been duly sworn in accordance with law, do hereby depose and state that:

**1. *Select one, delete the other:***

*If a sole proprietorship:* I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

*If a partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

**2. *Select one, delete the other:***

*If a sole proprietorship:* As the owner and sole proprietor, or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]*, as shown in the attached duly notarized *Special Power of Attorney*;

*If a partnership, corporation, cooperative, or joint venture:* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Name of the Project]* of the *[Name of the Procuring Entity]*, as shown in the attached *[state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)]*;

- 3.** *[Name of Bidder]* is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4.** Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;  
88

6. ***Select one, delete the rest:***

*If a sole proprietorship:* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*If a partnership or cooperative:* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*If a corporation or joint venture:* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the following responsibilities as a Bidder:
- a) Carefully examine all of the Bidding Documents;
  - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
  - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_ day of \_\_\_, 20\_\_\_ at \_\_\_\_\_, Philippines.

\_\_\_\_\_  
Bidder's Representative/Authorized Signatory

**SUBSCRIBED AND SWORN** to before me this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. \_\_\_\_\_ and his/her Community Tax Certificate No. \_\_\_\_\_ issued on \_\_\_\_ at \_\_\_\_\_.

Witness my hand and seal this \_\_\_\_ day of *[month]* *[year]*.

**NAME OF NOTARY PUBLIC**

Serial No. of Commission \_\_\_\_\_

Notary Public for \_\_\_\_\_ until \_\_\_\_\_

Roll of Attorneys No. \_\_\_\_\_

PTR No. \_\_\_\_\_ *[date issued]*, *[place issued]*

IBP No. \_\_\_\_\_ *[date issued]*, *[place issued]*

Doc. No. \_\_\_\_\_

Page No. \_\_\_\_\_

Book No. \_\_\_\_\_

Series of \_\_\_\_\_

\* This form will not apply for WB funded projects.



## Bank Guarantee Form for Advance Payment

---

To: *[name and address of PROCURING ENTITY]*  
*[name of Contract]*

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause 10 of the General Conditions of Contract to provide for advance payment, *[name and address of Supplier]* (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of *[amount of guarantee in figures and words]*.

We, the *[bank or financial institution]*, as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding *[amount of guarantee in figures and words]*.

We further agree that no change or addition to or other modification of the terms of the Contract to be performed there under or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until *[date]*.

Yours truly,

Signature and seal of the Guarantors

---

*[name of bank or financial institution]*

---

*[address]*

---

*[date]*

## BID SECURING DECLARATION FORM

---

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_) S.S.

X-----X

### **BID SECURING DECLARATION** **Invitation to Bid:** *[Insert Reference number]*

To: *[Insert name and address of the Procuring Entity]*

I/We<sup>5</sup>, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
  - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

---

<sup>5</sup> Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month]  
[year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED  
REPRESENTATIVE]

[Insert Signatory's Legal Capacity]  
Affiant

**SUBSCRIBED AND SWORN** to before me this \_\_\_\_ day of [month] [year] at [place  
of execution], Philippines. Affiant/s is/are personally known to me and was/were identified  
by me through competent evidence of identity as defined in the 2004 Rules on Notarial  
Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government  
identification card used], with his/her photograph and signature appearing thereon, with no.  
\_\_\_\_\_ and his/her Community Tax Certificate No. \_\_\_\_\_ issued on \_\_\_\_ at \_\_\_\_\_.

Witness my hand and seal this \_\_\_\_ day of [month] [year].

**NAME OF NOTARY PUBLIC**

Serial No. of Commission \_\_\_\_\_

Notary Public for \_\_\_\_\_ until \_\_\_\_\_

Roll of Attorneys No. \_\_\_\_\_

PTR No. \_\_\_\_\_ [date issued], [place issued]

IBP No. \_\_\_\_\_ [date issued], [place issued]

Doc. No. \_\_\_\_\_

Page No. \_\_\_\_\_

Book No. \_\_\_\_\_

Series of \_\_\_\_\_

